

W. M. ...
THE NEW YORK, NEW HAVEN AND HARTFORD R. R. CO.

Corrections

DESCRIPTION OF PASSENGER EQUIPMENT

AS OF JUNE 30th, 1945

S. F. MACKAY,
Manager of Transportation

P. H. HATCH,
Gen'l Mech. Supt.

Bought in 1942

PASSENGER EQUIPMENT SUMMARY - JUNE 30, 1945

	Kind	Series	No. Owned	Air Conditioned		Page No.
				Mech.	Ice	
<i>Passenger</i>	<i>Kentucky Fish Terminal 2</i> Business & Special Coach - suburban	1-9 141-199	3 54			1 1-3
	Baggage & Mail	2758-2794	30			4-5
	Mail	3263-3289	27			5-6
	Baggage- Steel Und.	3800-3946	145			6-12
	M.U. Motor Coach	4020-4109	76			12-15
	M.U. Trailer Coach	4200-4313	110			15-19
	Smoker- Steel Und.	4400-4424	21			20
	M.U. Trail. Bagg. & Smoker Club	4650-4661	10			21
		5001-5104	6		6	22
	Lunch-Counter	5199	1		1	22
	Grill	5200-5209	10		5	22
	Dining	5227-5254	28	30	5	22
	Baggage- Steel	5300-5589	189			23
	Baggage & Smoker- Stand.	6000-6020	21		6	24-30
	" " - DeL.	6100-6105	6		6	31
Smoker-Standard	6700-6738	37			31	
" -DeLuxe	6800-6843	44		44	32-33	
Coach- Standard	7800-8095	290			33-34	
" - DeLuxe	8100-8158	48		38	35-45	
" - Streamline	8200-8369	170		170	45-46	
" - " (Reclining Seats)	8500-8529	30		30	47-51	
<i>Recreation</i>	Gas Trailer Bagg. & Pass.	9003	1			52
	" " Smoker & Coach	9015-9021	3			53
	Gas-Elec. Motor Bagg. & Pass.	9101-9114	8			53
	Articulated Diesel Train- The Comet	9200-9202	3		3	54
	Milk - Box	24760-24794	3			54
<i>Express</i>	Total		1374	302	132	55

57
49
870
48
170
30
509

1726

Car No.	Kind	Con- struc- tion	Year built	Weight Light	Length over buffers uncoupled	Seat- ing cap'y	Air cond.	Trucks and Bearings	Toi- lets	Washing facilities
1	Business	Steel	1930	183700	83'7-7/8"	12	Ice 3600 lbs.	6 wheel roller	Wet	Hot & cold
2	Business	"	1917	179300	82'5-1/2"	16	Ice 3600 lbs.	6 wheel friction	Wet	Hot & cold
9	Gas electric Inspection	"	1926	93700	63'8-3/4"	26		4 wheel roller	Wet	Cold

3

Car No.	Kind	Con- struc- tion	Year		Weight Light	Length over buffers uncoupled	Seat- ing cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toi- lets	Washing facilities	Seats	
			Built	Re- built									Type	Spacing
141	Coach- suburban	Steel	1924	*1938	101100	72'7-1/4"	80	No	4 wheel friction	28 gal.	Wet	No	Walkover plush	34-13/16"
142	"	"	"	"	"	"	"	"	"	"	"	"	"	"
143	"	"	"	"	"	"	"	"	"	"	"	"	"	"
144	"	"	"	"	"	"	"	"	"	"	"	"	"	"
145	"	"	"	"	"	"	"	"	"	"	"	"	"	"
146	"	"	"	"	"	"	"	"	"	"	"	"	"	"
147	"	"	"	"	"	"	"	"	"	"	"	"	"	"
148	"	"	"	"	"	"	"	"	"	"	"	"	"	"
149	"	"	"	"	"	"	"	"	"	"	"	"	"	"
150	"	"	"	"	"	"	"	"	"	"	"	"	"	"
151	"	"	1926	"	"	"	"	"	"	"	"	"	"	"

* Converted from New York-Westchester cars.

#146 Destroyed July, at 445 - Campbell Road, East Green 821

Car No.	Kind	Construction	Year		Weight Light	Length over buffers uncoupled	Seating cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toilets	Washing facilities	Seats	
			Built	Re-built									Type	Spacing
152	Coach-suburban	Steel	1926	*1938	101100	72'7-1/4"	80	No	4 wheel friction	28 gal.	Wet	No	Walkover plush	34-13/16"
153	"	"	"	"	"	"	"	"	"	"	"	"	"	"
154	"	"	"	"	"	"	"	"	"	"	"	"	"	"
155	"	"	"	"	"	"	"	"	"	"	"	"	"	"
156	"	"	1927	"	"	"	"	"	"	"	"	"	"	"
157	"	"	"	"	"	"	"	"	"	"	"	"	"	"
158	"	"	"	"	"	"	"	"	"	"	"	"	"	"
159	"	"	"	"	"	"	"	"	"	"	"	"	"	"
160	"	"	"	"	"	"	"	"	"	"	"	"	"	"
161	"	"	"	"	"	"	"	"	"	"	"	"	"	"
162	"	"	"	"	"	"	"	"	"	"	"	"	"	"
163	"	"	"	"	"	"	"	"	"	"	"	"	"	"
164	"	"	"	"	"	"	"	"	"	"	"	"	"	"
165	"	"	"	"	"	"	"	"	"	"	"	"	"	"
166	"	"	"	"	"	"	"	"	"	"	"	"	"	"
167	"	"	"	"	"	"	"	"	"	"	"	"	"	"
168	"	"	"	"	"	"	"	"	"	"	"	"	"	"
169	"	"	"	"	"	"	"	"	"	"	"	"	"	"
170	"	"	"	"	"	"	"	"	"	"	"	"	"	"
171	"	"	1928	"	"	"	"	"	"	"	"	"	"	"
172	"	"	"	"	"	"	"	"	"	"	"	"	"	"
173	"	"	"	"	"	"	"	"	"	"	"	"	"	"
174	"	"	"	"	"	"	"	"	"	"	"	"	"	"
175	"	"	"	"	"	"	"	"	"	"	"	"	"	"
176	"	"	"	"	"	"	"	"	"	"	"	"	"	"
177	"	"	"	"	"	"	"	"	"	"	"	"	"	"
178	"	"	"	"	"	"	"	"	"	"	"	"	"	"
179	"	"	"	"	"	"	"	"	"	"	"	"	"	"

* Converted from New York-Westchester cars.

Car No.	Kind	Construction	Year		Weight Light	Length over buffers uncoupled	Seating cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toilets	Washing facilities	Seats	
			Built	Re-built									Type	Spacing
181	Coach suburban	Steel	1929	*1938	101100	72'7-1/4"	80	No	4 wheel friction	28 gal.	Wet	No	Walkover plush	34-13/16"
182	"	"	"	"	"	"	"	"	"	"	"	"	"	"
183	"	"	"	"	"	"	"	"	"	"	"	"	"	"
184	"	"	"	"	"	"	"	"	"	"	"	"	"	"
185	"	"	"	"	"	"	"	"	"	"	"	"	"	"
186	"	"	"	"	"	"	"	"	"	"	"	"	"	"
187	"	"	"	"	"	"	"	"	"	"	"	"	"	"
188	"	"	"	"	"	"	"	"	"	"	"	"	"	"
189	"	"	"	"	"	"	"	"	"	"	"	"	"	"
190	"	"	"	"	"	"	"	"	"	"	"	"	"	"
X 196	" 9/12/49	"	1915	1943	107800	"	84	"	"	Water cooler	"	Cold	"	32-13/16"
X 197	"	"	"	"	106600	"	"	"	"	"	"	"	"	"
X 198	"	"	"	"	107880	"	"	"	"	"	"	"	"	"
X 199	"	"	1914	"	108600	"	"	"	"	"	"	"	"	"
X 54	"	"	"	"	"	"	"	"	"	"	"	"	"	"

* Converted from New York-Westchester cars.
 Cars 196, 197, 198, 199 converted from Club Cars 5000, 5002, 5003, 5006 respectively.

Continued on page 7/48

13
 29
 ✓

Car No.	Kind	Con- struc- tion	Year built	Weight Light	Length		Trucks and Bearings	Toi- lets	Washing Facilities
					Over buffers uncoupled	Inside			
3273	Mail	Steel	1914	132600	64'5"	60'6"	6 wh.friect.	Wet	Hot & cold
3274	"	"	"	"	"	"	"	"	"
3275	"	"	"	"	"	"	"	"	"
3276	"	"	"	"	"	"	"	"	"
3277	"	"	"	"	"	"	"	"	"
3278	"	"	"	"	"	"	"	"	"
3279	"	"	"	"	"	"	"	"	"
3280	"	"	"	"	"	"	"	"	"
3281	"	"	"	"	"	"	"	"	"
3282	"	"	"	"	"	"	"	"	"
3283	"	"	"	"	"	"	"	"	"
3284	"	"	"	"	"	"	"	"	"
3285	"	"	1916	119000	64'9-1/8"	60'3"	4 wh.friect.	"	"
3286	"	"	"	"	"	"	"	"	"
3287	"	"	"	"	"	"	"	"	"
3288	"	"	"	"	"	"	"	"	"
3289	"	"	"	"	"	"	"	"	"

27

Car No.	Kind	Con- struc- tion	Year		Weight Light	Length		Trucks and Bearings	Side Door Openings	
			Built	Re- built		Over buffers uncoupled	Inside		Width	Height
3800	Bagg.	Steel underfr.	1905	1926	86000	64'8-1/2"	60'	Composite wood-steel 4 wh.friect.	4'5-1/2"	6'1"
3801	"	"	1904	"	"	"	"	"	"	"
3802	"	"	1905	"	"	"	"	"	"	"
3803	"	"	1904	"	"	"	"	"	"	"

Car No.	Kind	Con- struc- tion	Year		Weight Light	Length		Trucks and Bearings	Side Door Openings	
			Built	Re- built		uncoupled	Inside		Width	Height
3804	Bagg.	Steel underfr.	1904	1926	86000	64'8-1/2"	60'	Composite wood-steel 4 wh. frict.	4'5-1/2"	6'1"
3805	"	"	"	"	"	"	"	"	"	"
3806	"	"	"	"	"	"	"	"	"	"
3807	"	"	"	"	"	"	"	"	"	"
3808	"	"	"	"	"	"	"	"	"	"
3809	"	"	1906	"	"	"	"	"	"	"
3810	"	"	"	"	"	"	"	"	"	"
3811	"	"	"	"	"	"	"	"	"	"
3812	"	"	1904	"	"	"	"	"	"	"
3813	"	"	1906	"	"	"	"	"	"	"
3814	"	"	1904	"	"	"	"	"	"	"
3815	"	"	1906	"	"	"	"	"	"	"
3816	"	"	1898	"	"	"	"	"	"	"
3817	"	"	1901	"	"	"	"	"	"	"
3818	"	"	"	"	"	"	"	"	"	"
3819	"	"	1902	"	"	"	"	"	"	"
3820	"	"	1906	1927	"	"	"	"	"	"
3821	"	"	1904	"	"	"	"	"	"	"
3822	"	"	1906	"	"	"	"	"	"	"
3823	"	"	1904	"	"	"	"	"	"	"
3824	"	"	"	"	"	"	"	"	"	"
3825	"	"	1906	"	"	"	"	"	"	"
3826	"	"	"	"	"	"	"	"	"	"
3827	"	"	1901	"	"	"	"	"	"	"
3828	"	"	"	"	"	"	"	"	"	"
* 3829	"	"	1902	"	"	"	"	"	"	"
3830	"	"	1896	"	"	"	"	"	"	"
3831	"	"	"	"	"	"	"	"	"	"
3832	"	"	1898	"	"	"	"	"	"	"
3833	"	"	"	"	"	"	"	"	"	"

Wase Service ^{W180} ~~W180~~

Assigned with Adhambach
transport material

Remains ~~1891~~ 191

Demolished in 1945 - Rille ^{1/2} ~~1/2~~

* Equipped with 3 Edward type oil lamps.
Assigned between Wase - health bridge express service

Car No.	Kind	Con- struc- tion	Year		Weight Light	Length		Trucks and Bearings	Side Door Openings	
			Built	Re- built		Over buffers uncoupled	Inside		Width	Height
3834	Bagg.	Steel underfr.	1898	1927	86000	64'8-1/2"	60'	Composite wood-steel 4 wh.frict.	4'5-1/2"	6'1"
3835	"	"	1899	"	"	"	"	"	"	"
3836	"	"	"	"	"	"	"	"	"	"
3837	"	"	1902	"	"	"	"	"	"	"
3838	"	"	1903	"	"	"	"	"	"	"
3839	"	"	1902	"	"	"	"	"	"	"
3840	"	"	1905	"	"	"	"	"	"	"
3841	"	"	1906	"	"	"	"	"	"	"
3842	"	"	"	"	"	"	"	"	"	"
3843	"	"	1899	"	"	"	"	Cast steel 4 wh.frict.	"	"
3844	"	"	1901	"	"	"	"	"	"	"
3845	"	"	"	1928	"	"	"	"	"	"
3846	"	"	"	"	"	"	"	"	"	"
3847	"	"	1903	"	"	"	"	"	"	"
3848	"	"	"	"	"	"	"	"	"	"
3849	"	"	1904	"	"	"	"	"	"	"
3850	"	"	"	"	"	"	"	"	"	"
3851	"	"	"	"	"	"	"	"	"	"
3852	"	"	"	"	"	"	"	"	"	"
3853	"	"	1905	"	"	"	"	"	"	"
3854	"	"	1906	"	"	"	"	"	"	"
3855	"	"	"	1927	"	"	"	"	"	"
3856	"	"	"	1928	"	"	"	"	"	"
3857	"	"	"	"	"	"	"	"	"	"
3858	"	"	1895	"	"	"	"	"	"	"
3859	"	"	"	"	"	"	"	"	"	"
3860	"	"	1896	"	"	"	"	"	"	"
3861	"	"	1899	"	"	"	"	"	"	"

Handwritten notes:
 3831
 3832
 3833
 3834
 3835
 3836
 3837
 3838
 3839
 3840
 3841
 3842
 3843
 3844
 3845
 3846
 3847
 3848
 3849
 3850
 3851
 3852
 3853
 3854
 3855
 3856
 3857
 3858
 3859
 3860
 3861
 Cast Steel
 from
 under
 O.H.R. 11/1/49

Handwritten note:
 Cond 7/14/49

Handwritten initials:
 EJ

Car No.	Kind	Con-struction	Year		Weight Light	Length		Trucks and Bearings	Side Door Openings	
			Built	Re-built		Over buffers uncoupled	Inside		Width	Height
3862	Bagg.	Steel underfr.	1899	1928	86000	64'8-1/2"	60'	Cast steel 4 wh.friect.	4'5-1/2"	6'1"
3863	"	"	"	"	"	"	"	"	"	"
3864	"	"	1901	"	"	"	"	"	"	"
3865	"	"	"	"	"	"	"	"	"	"
3866	"	"	1902	"	"	"	"	"	"	"
3867	"	"	1903	"	"	"	"	"	"	"
3868	"	"	"	"	"	"	"	"	"	"
3869	"	"	"	"	"	"	"	"	"	"
3870	"	"	1904	"	"	"	"	"	"	"
3871	"	"	"	"	"	"	"	"	"	"
3872	"	"	1909	"	"	"	"	"	"	"
3873	"	"	"	"	"	"	"	"	"	"
3874	"	"	1898	"	"	"	"	Composite wood-steel 4 wh.friect.	"	"
3875	"	"	1896	"	"	"	"	"	"	"
3876	"	"	1901	1929	"	"	"	"	"	"
3877	"	"	1909	"	"	"	"	"	"	"
3878	"	"	"	"	"	"	"	"	"	"
3879	"	"	"	"	"	"	"	"	"	"
3880	"	"	"	"	"	"	"	"	"	"
3881	"	"	1900	"	"	"	"	Cast steel 4 wh.friect.	"	"
3883	"	"	1896	"	"	"	"	"	"	"
3884	"	"	"	"	"	"	"	"	"	"
3885	"	"	1898	"	"	"	"	"	"	"
3886	"	"	"	"	"	"	"	"	"	"
3887	"	"	1901	"	"	"	"	"	"	"
3888	"	"	1904	"	"	"	"	"	"	"
3889	"	"	"	"	"	"	"	"	"	"

Car No.	Kind	Con- struc- tion	Year		Weight light	Length		Trucks and Bearings	Side Door Openings	
			Built	Re- built		Over buffers uncoupled	Inside		Width	Height
3890	Bagg.	Steel underfr.	1906	1929	86000	64'8-1/2"	60'	Cast steel 4 wh.friect.	4'5-1/2"	6'1"
3891	"	"	"	"	"	"	"	"	"	"
3892	"	"	"	"	"	"	"	"	"	"
3893	"	"	"	"	"	"	"	"	"	"
3894	"	"	"	"	"	"	"	Composite wood-steel 4 wh.friect.	"	"
3895	"	"	"	"	"	"	"	"	"	"
3896	"	"	"	"	"	"	"	"	"	"
3897	"	"	"	"	"	"	"	"	"	"
3898	"	"	1895	"	"	"	"	Cast steel 4 wh.friect.	"	"
3899	"	"	1900	"	"	"	"	"	"	"
3900	"	"	1906	"	"	"	"	Composite wood-steel 4 wh.friect.	"	"
3901	"	"	"	"	"	"	"	"	"	"
3902	"	"	"	"	"	"	"	"	"	"
3903	"	"	"	"	"	"	"	"	"	"
3904	"	"	"	"	"	"	"	"	"	"
3905	"	"	"	"	"	"	"	"	"	"
3906	"	"	1907	"	"	"	"	"	"	"
3907	"	"	1906	"	"	"	"	"	"	"
3908	"	"	1911	"	"	"	"	"	"	"
3909	"	"	"	"	"	"	"	"	"	"
3910	"	"	"	"	"	"	"	"	"	"
3911	"	"	"	"	"	"	"	"	"	"
3912	"	"	1906	"	"	"	"	"	"	"
3913	"	"	1909	"	"	"	"	"	"	"
3914	"	"	1908	"	"	"	"	"	"	"

70

Handwritten note: *Handwritten note, possibly "Handwritten 2"*

Car No.	Kind	Con- struc- tion	Year		Weight Light	Length		Trucks and Bearings	Side Door Openings	
			Built	Re- built		Over buffers uncoupled	Inside		Width	Height
3915	Bagg.	Steel underfr.	1908	1929	86000	64'8-1/2"	60'	Composite wood-steel 4 wh.frict.	4'5-1/2"	6'1"
3916	"	"	"	1930	"	"	"	"	"	"
3918	"	"	1911	"	"	"	"	"	"	"
3919	"	"	1907	"	"	"	"	"	"	"
3920	"	"	1906	"	"	"	"	"	"	"
3921	"	"	1908	"	"	"	"	"	"	"
3922	"	"	1907	"	"	"	"	"	"	"
3923	"	"	1908	"	"	"	"	"	"	"
3924	"	"	"	"	"	"	"	"	"	"
3925	"	"	1911	"	"	"	"	"	"	"
3926	"	"	1908	"	"	"	"	"	"	"
3927	"	"	"	"	"	"	"	"	"	"
3928	"	"	1911	"	"	"	"	"	"	"
3929	"	"	1906	"	"	"	"	"	"	"
3930	"	"	"	"	"	"	"	"	"	"
3931	"	"	1907	"	"	"	"	"	"	"
3932	"	"	1906	"	"	"	"	"	"	"
3933	"	"	1908	"	"	"	"	"	"	"
3934	"	"	1911	"	"	"	"	"	"	"
3935	"	"	"	"	"	"	"	"	"	"
3936	"	"	"	"	"	"	"	"	"	"
3937	"	"	"	"	"	"	"	"	"	"
3938	"	"	1907	"	"	"	"	"	"	"
3939	"	"	"	"	"	"	"	"	"	"
3940	"	"	1906	"	"	"	"	"	"	"
3941	"	"	"	"	"	"	"	"	"	"
3942	"	"	1907	"	"	"	"	"	"	"
3943	"	"	1911	"	"	"	"	"	"	"
3944	"	"	"	"	"	"	"	Cast steel 4 wh.frict.	"	"

Destroyed July 1st 1945
Camp Stewart

Write down 1/30/50.
Condemned 7/15/48

24
3

31
25
27
48
141

141
2
132

Car No.	Kind	Con- struc- tion	Year		Weight Light	Length		Trucks and Bearings	Side Door Openings	
			Built	Re- built		Over buffers uncoupled	Inside		Width	Height
3944	Bagg.	Steel underfr.	1906	1930	86000	64'8-1/2"	60'	Composite wood-steel 4 wh.frict.	4'5-1/2"	6'1"
3945	"	"	"	"	"	"	"	"	"	"
3946	"	"	1907	"	"	"	"	"	"	"
445										

Car No.	Kind	Con- struc- tion	Year built	Weight Light	Length over buffers uncoupled	Seat- ing cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toi- lets	Washing facilities	Seats	
												Type	Spacing
4020	Mul.unit motor coach	Steel	1909	173480	71'4"	78	No	4 wheel friction	Water cooler	Dry	No	Walkover Pantasote	34-7/8"
4021	"	"	"	"	"	"	"	"	"	"	"	"	"
4022	"	"	"	"	"	"	"	"	"	"	"	"	"
4023	"	"	"	"	"	"	"	"	"	"	"	"	"
4024	"	"	1912	171000	"	"	"	"	"	"	"	"	"
4025	"	"	"	"	"	"	"	"	"	"	"	"	"
4026	"	"	"	"	"	"	"	"	"	"	"	"	"
4027	"	"	"	"	"	"	"	"	"	"	"	"	"
4028	"	"	1914	175100	72'4-1/2"	84	"	"	"	"	"	"	32-13/16"
4029	"	"	"	"	"	"	"	"	"	"	"	"	"
4030	"	"	"	"	"	"	"	"	"	"	"	"	"
4031	"	"	"	"	"	"	"	"	"	"	"	"	"
4032	"	"	"	"	"	"	"	"	"	"	"	"	"
4033	"	"	"	"	"	"	"	"	"	"	"	"	"

ars 4020 to 4027 inc. have open platforms.

Car No.	Kind	Con- struc- tion	Year built	Weight light	Length over buffers uncoupled	Seat- ing cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toi- lets	Washing facilities	Seats	
												Type	Spacing
4034	Mul.unit motor coach	Steel	1914	175100	72'4-1/2"	84	No	4-wheel friction	Water cooler	Dry	No	Walkover Pantasote	32-13/16"
4035	"	"	"	"	"	"	"	"	"	"	"	"	"
4036	"	"	"	"	"	"	"	"	"	"	"	"	"
4037	"	"	"	"	"	"	"	"	"	"	"	"	"
4038	"	"	"	"	"	"	"	"	"	"	"	"	"
4039	"	"	"	"	"	"	"	"	"	"	"	"	"
4040	"	"	"	"	"	"	"	"	"	"	"	"	"
4041	"	"	1922	174000	"	"	"	"	"	"	"	"	"
4042	"	"	"	"	"	"	"	"	"	"	"	"	"
4043	"	"	"	"	"	"	"	"	"	"	"	"	"
4044	"	"	"	"	"	"	"	"	"	"	"	"	"
4045	"	"	"	"	"	"	"	"	"	"	"	"	"
4046	"	"	"	"	"	"	"	"	"	"	"	"	"
4047	"	"	"	"	"	"	"	"	"	"	"	"	"
4048	"	"	1923	"	"	"	"	"	"	"	"	"	"
4049	"	"	1925	173000	"	80	"	"	"	"	"	Walkover plush	34-7/8"
4050	"	"	"	"	"	"	"	"	"	"	"	"	"
4051	"	"	"	"	"	"	"	"	"	"	"	"	"
4052	"	"	1914	176100	72'7-1/2"	84	"	"	"	"	"	"	32-13/16"
4053	"	"	"	"	"	"	"	"	"	"	"	"	"
4054	"	"	1916	"	"	"	"	"	"	"	"	"	"
4055	"	"	"	"	"	"	"	"	"	"	"	"	"
4070	"	"	1926	176000	80'1-1/4"	120	"	"	"	"	"	3&2 Wlkov. Pantasote	30-3/4"
4071	"	"	"	"	"	"	"	"	"	"	"	"	"
4072	"	"	"	"	"	"	"	4-wheel Isothermos	"	"	"	"	"
4073	"	"	"	"	"	"	"	4-wheel friction	"	"	"	"	"

Car No.	Kind	Con- struc- tion	Year built	Weight light	Length over buffers uncoupled	Seat- ing cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toi- lets	Washing facilities	Seats	
												Type	Spacing
4099	Mul.unit motor coach	Steel	1931	180000	80'1-1/4"	120	No	4-wheel roller	Water cooler	Dry	No	3&2 Wlkov. Pantasote	30-3/4"
4100	"	"	"	"	"	"	"	"	"	"	"	"	"
4101	"	"	"	"	"	"	"	"	"	"	"	"	"
4102	"	"	"	"	"	"	"	"	"	"	"	"	"
4103	"	"	"	"	"	"	"	"	"	"	"	"	"
4104	"	"	"	"	"	"	"	"	"	"	"	"	"
4105	"	"	"	"	"	"	"	"	"	"	"	"	"
4106	"	"	"	"	"	"	"	"	"	"	"	"	"
4107	"	"	"	"	"	"	"	"	"	"	"	"	"
4108	"	"	"	"	"	"	"	"	"	"	"	"	"
4109	"	"	"	"	"	"	"	"	"	"	"	"	"

76

Car No.	Kind	Con- struc- tion	Year built	Weight light	Length over buffers uncoupled	Seat- ing cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toi- lets	Washing facilities	Seats	
												Type	Spacing
4200	Mul.unit trail.coach	Steel	1909	101500	71'4"	78	No	4-wheel friction	Water cooler	Dry	No	Walkover Pantasote	34-7/8"
4201	"	"	"	"	"	"	"	"	"	"	"	"	"
4204	"	"	"	"	"	"	"	"	"	"	"	"	"
4205	"	"	"	"	"	"	"	"	"	"	"	"	"

Cars 4200 to 4205 have open platforms.

Car No.	Kind	Con- struc- tion	Year built	Weight light	Length over buffers uncoupled	Seat- ing cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toi- lets	Washing facilities	Seats	
												Type	Spacing
4207	Mul. unit trail. coach	Steel	1912	101500	71'4"	78	No	4-wheel friction	Water cooler	Dry	No	Walkover Pantasote	34-7/8"
4208	"	"	"	"	"	"	"	"	"	"	"	"	"
4209	"	"	"	"	"	"	"	"	"	"	"	"	"
4210	"	"	"	"	"	"	"	"	"	"	"	"	"
4211	"	"	"	"	"	"	"	"	"	"	"	"	"
4212	"	"	"	"	"	"	"	"	"	"	"	"	"
4213	"	"	"	"	"	"	"	"	"	"	"	"	"
4214	"	"	"	"	"	"	"	"	"	"	"	"	"
4215	"	"	"	"	"	"	"	"	"	"	"	"	32-13/16"
4216	"	"	1911	103200	72'4-1/2"	84	"	"	"	"	"	"	"
4217	"	"	"	"	"	"	"	"	"	"	"	"	"
4218	"	"	"	"	"	"	"	"	"	"	"	"	"
4219	"	"	"	"	"	"	"	"	"	"	"	"	"
4220	"	"	"	"	"	"	"	"	"	"	"	"	"
4221	"	"	"	"	"	"	"	"	"	"	"	"	"
4222	"	"	"	"	"	"	"	"	"	"	"	"	"
4223	"	"	"	"	"	"	"	"	"	"	"	"	"
4224	"	"	"	"	"	"	"	"	"	"	"	"	"
4225	"	"	"	"	"	"	"	"	"	"	"	"	"
4226	"	"	"	"	"	"	"	"	"	"	"	"	"
4227	"	"	"	"	"	"	"	"	"	"	"	"	"
4228	"	"	"	"	"	"	"	"	"	"	"	"	"
4229	"	"	"	"	"	"	"	"	"	"	"	"	"
4230	"	"	"	"	"	"	"	"	"	"	"	"	"
4231	"	"	"	"	"	"	"	"	"	"	"	"	"
4232	"	"	"	"	"	"	"	4-wheel Isothermos	"	"	"	"	"

Cars 4207 to 4215 have open platforms.

Car No.	Kind	Con- struc- tion	Year built	Weight light	Length over buffers uncoupled	Seat- ing cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toi- lets	Washing facilities	Seats	
												Type	Spacing
4286	Mul. unit trail.coach	Steel	1927	103600	80'1-1/4"	120	No	4-wheel friction	Water cooler	Dry	No	3&2 Wlkov. Pantastote	30-3/4"
4287	"	"	"	"	"	"	"	"	"	"	"	"	"
4288	"	"	"	"	"	"	"	"	"	"	"	"	"
4289	"	"	1930	104500	"	"	"	4-wheel roller	"	"	"	"	"
4290	"	"	"	"	"	"	"	"	"	"	"	"	"
4291	"	"	"	"	"	"	"	"	"	"	"	"	"
4292	"	"	"	"	"	"	"	"	"	"	"	"	"
4293	"	"	"	"	"	"	"	"	"	"	"	"	"
4294	"	"	"	"	"	"	"	"	"	"	"	"	"
4295	"	"	1931	105200	"	"	"	"	"	"	"	"	"
4296	"	"	"	"	"	"	"	"	"	"	"	"	"
4297	"	"	"	"	"	"	"	"	"	"	"	"	"
4298	"	"	"	"	"	"	"	"	"	"	"	"	"
4299	"	"	"	"	"	"	"	"	"	"	"	"	"
4300	"	"	"	"	"	"	"	"	"	"	"	"	"
4301	"	"	"	"	"	"	"	"	"	"	"	"	"
4302	"	"	"	"	"	"	"	"	"	"	"	"	"
4303	"	"	"	"	"	"	"	"	"	"	"	"	"
4304	"	"	"	"	"	"	"	"	"	"	"	"	"
4305	"	"	"	"	"	"	"	"	"	"	"	"	"
4306	"	"	"	"	"	"	"	"	"	"	"	"	"
4307	"	"	"	"	"	"	"	"	"	"	"	"	"
4308	"	"	"	"	"	"	"	"	"	"	"	"	"
4309	"	"	"	"	"	"	"	"	"	"	"	"	"
4310	"	"	"	"	"	"	"	"	"	"	"	"	"
4311	"	"	"	"	"	"	"	"	"	"	"	"	"
4312	"	"	"	"	"	"	"	"	"	"	"	"	"
4313	"	"	"	"	"	"	"	"	"	"	"	"	"

Car No.	Kind	Con- struc- tion	Year		Weight light	Length over buffers uncoupled	Seat- ing cap'y	Air Cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toi- lets	Washing facilities	Seats	
			Built	Re- built									Type	Spacing
4400	Smoker	Steel underframe	1904	1929	91200	70'5-1/4"	72	No	4-wheel friction	Water cooler	Wet	Cold	Walkover Pantasote	34-7/8"
4401	"	"	1907	"	"	"	"	"	"	"	"	"	"	"
4402	"	"	"	"	"	"	"	"	"	"	"	"	"	"
4403	"	"	"	"	"	"	"	"	"	"	"	"	"	"
4404	"	"	"	"	"	"	"	"	"	"	"	"	"	"
4405	"	"	"	"	"	"	"	"	"	"	"	"	"	"
4406	"	"	1905	"	"	"	"	"	"	"	"	"	"	"
4407	"	"	1907	"	"	"	"	"	"	"	"	"	"	"
4408	"	"	"	"	"	"	"	"	"	"	"	"	"	"
4409	"	"	"	"	"	"	"	"	"	"	"	"	"	"
4410	"	"	"	"	"	"	"	"	"	"	"	"	"	"
4411	"	"	1905	"	"	"	"	"	"	"	"	"	"	"
4412	"	"	1907	"	"	"	"	"	"	"	"	"	"	"
4413	"	"	"	"	"	"	"	"	"	"	"	"	"	"
4414	"	"	"	"	"	"	"	"	"	"	"	"	"	"
4415	"	"	"	"	"	"	"	"	"	"	"	"	"	"
4416	"	"	"	"	"	"	"	"	"	"	"	"	"	"
4417	"	"	"	"	"	"	"	"	"	"	"	"	"	"
4418	"	"	1905	"	"	"	"	"	"	"	"	"	"	"
4419	"	"	1907	"	"	"	"	"	"	"	"	"	"	"
4420	"	"	1909	"	"	"	"	"	"	"	"	"	"	"
4421	"	"	1905	"	"	"	"	"	"	"	"	"	"	"
4422	"	"	1909	"	"	"	"	"	"	"	"	"	"	"
4423	"	"	1905	"	"	"	"	"	"	"	"	"	"	"
4424	"	"	1909	"	"	"	"	"	"	"	"	"	"	"

* 4424 has partition for use as smoker-coach.

Car No.	Kind	Construction	Year		Weight light	Length over buffers uncoupled	Seating cap'y	Inside length compartment Baggage	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toilets	Washing facilities	Seats	
			Built	Re-built										Type	Spacing
4650	Mul. unit trail. Bagg. & smoker	Steel	1912		101500	71'4"	54	18'7"	No	4-wheel friction	Water cooler	Dry	No	Walkover Pantasote	34-7/8"
4651	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"
4652	"	"	1914		103700	72'4-1/2"	58	19'5"	"	"	"	"	"	"	32-13/16"
4653	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"
4654	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"
4655	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"
4656	"	"	"	*1934	107400	"	"	"	"	"	"	"	"	"	"
4657	"	"	1915	*1941	103700	"	"	"	"	"	"	"	"	"	"
4660	"	"	1931		112500	80'1-1/4"	87	18'1"	"	4-wheel roller	"	"	"	3&2 Wlkov. Pantasote	30-3/4"
<u>4661</u>	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"
10															

Cars 4650, 4651 have open platforms.

Cars 4660, 4661 have turtle back roof.

* 4656 converted from motor car 4010.

* 4657 " " club " 5004.

4651 Condemned 2/16/49 V West.

8251

57

Car No.	Kind	Con- struc- tion	Year		Weight light	Length over buffers uncoupled	Seat- ing cap'y	Air cond.	Trucks and Bearings	Toi- lets	Washing facilities	Seats ↑ type
			Built	Re- built								
5001	Club	Steel	1915		114000	72'4-1/2"	50	Ice	4-wh.frict.	Wet	Cold	Indiv.chairs-leather
5005	"	"	"	"	110000	"	49	"	"	"	"	Indiv.& reversible-leather
5101	"	"	1930	*1941	142500	84'5-1/2"	53	"	"	"	Hot & cold	Indiv.chairs-leather
5102	"	"	"	"	131000	"	66	"	4-wh.roll.	"	"	"
5103	"	"	"	1939	140580	"	60	"	"	"	"	Indiv.chairs-leatherette
5104	"	"	"	1939	140580	"	60	"	"	"	"	"

*5101 interior remodeled. † 5103 converted from coach 8149. † 5104 converted from coach 8150.

*- 5106 Greenwood Club has 4 armchairs the
charter case.*

Converted to 1147-NOV 13 1946

5199	Lunch count.	Steel	1914	*1933	146000	80'3-3/4"	49	Ice	6-wh.frict.	No	No	Stools- leather.
------	--------------	-------	------	-------	--------	-----------	----	-----	-------------	----	----	------------------

5200	Streamline grill	Steel	1937		116100	84'5-1/4"	53	Mech.	4-wh.frict.	No	No	Wall seats, leatherette
5201	"	"	"	"	"	"	"	"	4-wh.roll.	"	"	"
5202	"	"	"	"	"	"	"	"	4-wh.frict.	"	"	"
5203	"	"	"	"	"	"	"	"	4-wh.roll.	"	"	"
5204	"	"	"	"	"	"	"	"	"	"	"	"
5205	Std.grill	"	1914	*1942	156000	80'2-3/4"	44	Ice 3600 lbs.	6-wh.frict.	"	"	"
5206	"	"	"	*1942	"	"	"	"	"	"	"	"
5207	"	"	"	*1942	"	"	"	"	"	"	"	"
5208	"	"	"	*1942	"	"	"	"	"	"	"	"
5209	"	"	"	*1942	"	"	"	"	"	"	"	"

*5199 converted from smoker 6710 *5206 converted from coach 7911 *5208 converted from coach 7895
 *5205 " " coach 7907 *5207 " " " 7899 *5209 " " " 7890

Cars 5205 to 5209 have one ice box extending from side to side.

Car No.	Dining Car Name	Con-struction	Year		Weight light	Length over buffers uncoupled	Seat-ing cap'y	Air cond.	Ice Boxes		Trucks and Bearings	Toi-lets	Washing facil-ities	
			Built	Re-built					No.	Total capacity			Location	No
5227*		Steel	1916		157960	83'	42	Ice	2	2400 lbs.	1 each side	6-wh.frict.	No	No
5228*		"	"		"	"	"	"	2	"	"	"	"	"
5229*	Samuel Adams	"	1917		"	"	"	"	2	"	"	"	"	"
5230*		"	"		"	"	"	"	2	"	"	"	"	"
5231*	Nathan Hale	"	"		"	"	"	"	2	"	"	"	"	"
5232*		"	"		"	"	"	"	2	"	"	"	"	"
5233	Colonial	"	1926		166400	83'6-1/4"	38	"	1	2100 lbs	Right side fac- ing kitchen end	"	"	"
5234	The Patriot	"	"		"	"	"	"	1	"	"	"	"	"
5235	Jonathan Trumbull	"	"		"	"	"	"	1	"	"	"	"	"
5236	The Clipper	"	"		"	"	"	"	1	"	"	"	"	"
5237	Whaler	"	"		"	"	"	"	1	"	"	6-wh.roll.	"	"
5238	The Statesman	"	"		"	"	"	"	1	"	"	6-wh.frict.	"	"
5239	John Paul Jones	"	1930		182140	84'6"	42	"	1	"	Left side fac- ing kitchen end	6-wh.roll.	"	"
5240		"	"		"	"	"	"	1	"	"	"	"	"
5241		"	"		"	"	"	"	1	"	"	"	"	"
5242	Merchants Exchange	"	"		"	"	"	"	1	"	"	"	"	"
5243	Faneuil Hall	"	"		"	"	"	"	1	1600 lbs.	"	"	"	"
5244	Louisburg Square	"	"		"	"	"	"	1	"	"	"	"	"
5245	Gramercy Park	"	"		"	"	"	"	1	"	"	"	"	"
5246		"	"		"	"	"	"	1	"	"	"	"	"
5247	Dreadnought	"	"		"	"	36	"	1	2100 lbs.	"	"	"	"
5248	John Eastman	"	"		"	"	"	"	1	"	"	"	"	"
5249		"	1914	1935 Δ	175600	83'13-3/4"	"	"	2	3000 lbs.	1 each side	6-wh.frict.	"	"
5250		"	"	1935 Δ	"	"	"	"	2	"	"	"	"	"
5251	Paul Revere	"	1913	1936 Δ	180200	"	"	"	2	"	"	"	"	"
5252	Israel Putnam	"	1916	1936 Δ	"	"	"	"	2	"	"	"	"	"
5253	Roger Williams	"	"	1936 Δ	"	"	"	"	2	"	"	"	"	"
5254		"	1925	1936 Δ	"	"	"	"	2	"	"	"	"	"

* ~~5255~~ Mariner - 2095" - Dining - Parlor Feb 1947 - 28 Seats - 14 Pl. Seats.
 * Cars have sealed windows. Δ Acquired 2nd hand.
 * ~~5256~~ Navigator - 2096" - Dining - Parlor Feb 1947 " " " " " "
 * Bought from Pull Co Feb 1946 - was formerly Parlor Car lounge train.

Car No.	Kind	Con- struc- tion	Year built	Weight light	Length		Trucks and Bearings	Side Door Openings	
					Over buffers uncoupled	Inside		Width	Height
5300	Baggage	Steel	1914	115600	64'9-1/8"	60'2"	4-wh.friction	5'6"	6'2-3/8"
5301	"	"	"	"	"	"	"	"	"
5302	"	"	"	"	"	"	"	"	"
5303	"	"	"	"	"	"	"	"	"
5304	"	"	"	"	"	"	"	"	"
5305	"	"	"	"	"	"	"	"	"
5306	"	"	"	"	"	"	"	"	"
5307	"	"	"	108600	"	"	"	"	"
5310	"	"	"	115600	"	"	"	"	"
5311	"	"	"	"	"	"	"	"	"
5312	"	"	"	"	"	"	"	"	"
5313	"	"	"	"	"	"	"	"	"
5314	"	"	"	"	"	"	"	"	"
5315	"	"	"	"	"	"	"	"	"
5316	"	"	"	"	"	"	"	"	"
5317	"	"	1915	"	"	"	"	"	"
5318	"	"	"	"	"	"	"	"	"
5319	"	"	"	"	"	"	"	"	"
5320	"	"	"	"	"	"	"	"	"
5321	"	"	"	"	"	"	"	"	"
5322	"	"	"	"	"	"	"	"	"
5323	"	"	"	"	"	"	"	"	"
5324	"	"	"	"	"	"	"	"	"
5325	"	"	"	"	"	"	"	"	"
5326	"	"	"	"	"	"	"	"	"
5327	"	"	"	"	"	"	"	"	"
5328	"	"	"	"	"	"	"	"	"
5329	"	"	"	"	"	"	"	"	"
5330	"	"	"	"	"	"	"	"	"
5331	"	"	"	"	"	"	"	"	"
5332	"	"	"	"	"	"	"	"	"

Car 5307 has turtle back roof.

Car No.	Kind	Con- struc- tion	Year		Weight light	Length		Trucks and Bearings	Side Door Openings	
			Built	Re- built		Over buffers uncoupled	Inside		Width	Height
5396	Baggage	Steel	1917		115600	64'9-1/8"	60'2"	4-wh.friction	5'6"	6'2-3/8"
5397	"	"	"		"	"	"	"	"	"
5398	"	"	"		"	"	"	"	"	"
5399	"	"	"		"	"	"	"	"	"
5400	"	"	"		"	"	"	"	"	"
5401	"	"	"		"	"	"	"	"	"
5402	"	"	"		"	"	"	"	"	"
5403	"	"	"		"	"	"	"	"	"
5404	"	"	"		"	"	"	"	"	"
5405	"	"	1906	♦ 1920	115200	68'9"	65'2"	6-wh.friction	"	"
5406	"	"	"	♦ 1920	119500	"	"	"	"	"
5407	"	"	1934	*1942	114200	64'7-3/4"	60'6"	4-wh.friction	(2-5'0"	6'2-1/4"
									(2-6'0"	"
5500	"	"	1914		122000	74'9-1/8"	70'2"	"	(2-5'6"	6'2-3/8"
									(2-8'0"	"
5501	"	"	"		"	"	"	"	"	"
5502	"	"	"		"	"	"	"	"	"
5505	"	"	"		"	"	"	"	"	"
5506	"	"	"		"	"	"	"	"	"
5507	"	"	"		"	"	"	"	"	"
5508	"	"	"		"	"	"	"	"	"
5509	"	"	"		"	"	"	"	"	"
5510	"	"	"		"	"	"	"	"	"
5512	"	"	"		"	"	"	"	"	"
5513	"	"	"		"	"	"	"	"	"
5514	"	"	"		"	"	"	"	"	"
5515	"	"	"		"	"	"	"	"	"
5516	"	"	"		"	"	"	"	"	"
5517	"	"	"		"	"	"	"	"	"
5518	"	"	"		"	"	"	"	"	"

♦ 5405 converted from 3261.

♦ 5406 converted from 3262.

* Acquired 2nd hand.

Car No.	Kind	Construction	Year built	Weight light	Length		Trucks and Bearings	Side Door Openings	
					Over buffers uncoupled	Inside		Width	Height
5549	Baggage	Steel	1917	122000	74'9-1/8"	70'2"	4-wh.friction	(2-5'6" 2-8'0"	6'2-3/8" "
5550	"	"	"	"	"	"	"	"	"
5551	"	"	"	"	"	"	"	"	"
5552	"	"	"	"	"	"	"	"	"
5553	"	"	"	"	"	"	"	"	"
5554	"	"	"	"	"	"	"	"	"
5555	"	"	"	"	"	"	"	"	"
5556	"	"	"	"	"	"	"	"	"
5557	"	"	"	"	"	"	"	"	"
5558	"	"	"	"	"	"	"	"	"
5559	"	"	"	"	"	"	"	"	"
5560	"	"	"	"	"	"	"	"	"
5561	"	"	"	"	"	"	"	"	"
5562	"	"	"	"	"	"	"	"	"
5563	"	"	"	"	"	"	"	"	"
5564	"	"	"	"	"	"	"	"	"
5565	"	"	"	"	"	"	"	"	"
5566	"	"	"	"	"	"	"	"	"
5568	"	"	"	"	"	"	"	"	"
5569	"	"	"	"	"	"	"	"	"
5570	"	"	1927	116500	"	"	"	"	6'3"
5571	"	"	"	"	"	"	"	"	"
5572	"	"	"	"	"	"	"	"	"
5573	"	"	"	"	"	"	"	"	"
5574	"	"	"	"	"	"	"	"	"
5575	"	"	"	"	"	"	"	"	"
5576	"	"	"	"	"	"	"	"	"
5577	"	"	"	"	"	"	"	"	"
5578	"	"	"	"	"	"	"	"	"

Cars 5570 to 5578 have turtle back roof.

<u>Car No.</u>	<u>Kind</u>	<u>Con- struc- tion</u>	<u>Year built</u>	<u>Wei_ght light</u>	<u>Length</u>		<u>Trucks and Bearings</u>	<u>Side Door Openings</u>	
					<u>Over buffers uncoupled</u>	<u>Inside</u>		<u>Width</u>	<u>Height</u>
5579	Baggage	Steel	1927	116500	74'9-1/8"	70'2"	4-wh.friction	(2-5'6" (2-8'0"	6'3" "
5580	"	"	"	"	"	"	"	"	"
5581	"	"	"	"	"	"	"	"	"
5582	"	"	"	"	"	"	"	"	"
5583	"	"	"	"	"	"	"	"	"
5584	"	"	"	"	"	"	"	"	"
5585	"	"	"	"	"	"	"	"	"
5586	"	"	"	"	"	"	"	"	"
5587	"	"	"	"	"	"	"	"	"
5588	"	"	"	"	"	"	"	"	"
5589	"	"	"	"	"	"	"	"	"

189

Cars 5579 to 5589 have turtle back roof.

Car No.	Kind	Con-struction	Year		Weight light	Length		Seat-ing cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toi-lets	Washing facil-ities	Seats	
			Built	Re-built		Over buffers uncoupled	Baggage compart-ment							Type	Spacing
6000	Standard bagg.& smk.	Steel	1914	1934	130000	77'2-5/8"	28'11"	52	Mech	4-wheel friction	Water cooler	Wet	Cold	Walkover Pantasote	35-1/2"
6001	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6002	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6003	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6004	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6005	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6006	"	"	"	"	128400	"	"	"	Ice	"	53 gals.	"	"	"	"
6007	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6008	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6009	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6010	"	"	1915	"	123800	77'5-1/8"	29'	"	No	"	Water cooler	"	"	"	"
6011	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6012	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6013	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6014	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6015	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6016	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6017	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6018	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6019	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"
† 6020	"	"	"	"	127300	80'4"	23'1-3/8"	64	"	"	"	"	Hot & cold	Flush	"

Cars 6000 to 6005 have sealed windows. † 6020 converted from Besler car 9210 in 1945; Besler car 9210 was converted from 6736 in 1936.

6100	DeLuxe bagg.& smk.		1930		141740	84'5-1/2"	30'8"	52	Mech	4-wheel roller	106 gals.	Wet	Hot & cold	Bucket, rotating, leather	37-1/2"
6101	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6102	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6103	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6104	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6105	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"

Cars 6100 to 6105 have sealed windows.

Car No.	Kind	Con- struc- tion	Year		Weight light	Length over buffers uncoupled	Seat- ing cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toi- lets	Wash- ing facil- ities	Seats	
			Built	Re- built									Type	Spacing
6700	Stand. smk.	Steel	1914	1935	136350	80'3-3/4"	92	Ice	6-wh. frict.	53 gals.	Wet	Cold	Wlkov. Panta.	35-1/2"
6701	"	"	"	1934	"	"	"	"	"	"	"	"	"	"
6702	"	"	"	"	"	"	"	"	"	Water cooler	"	"	"	"
6703	"	"	"	1935	"	"	"	"	"	"	"	"	"	"
6704	"	"	"	"	130700	"	"	No	"	"	"	"	"	"
6705	"	"	"	1935	136350	"	"	Ice	"	53 gals.	"	"	"	"
6706	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6707	"	"	"	"	"	"	"	"	"	Water cooler	"	"	"	"
6708	"	"	"	1934	"	"	"	"	"	53 gals.	"	"	"	"
6709	"	"	"	"	130700	"	"	No	"	Water cooler	"	"	"	"
6711	"	"	"	1935	136350	"	"	Ice	"	"	"	"	"	"
6712	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6713	"	"	"	"	"	"	"	"	"	53 gals.	"	"	"	"
6714	"	"	"	"	133200	"	"	No	"	Water cooler	"	"	"	"
6715	"	"	"	1935	139560	"	"	Ice	"	53 gals.	"	"	"	"
6716	"	"	"	"	"	"	"	"	"	Water cooler	"	"	"	"
6717	"	"	"	"	133200	"	"	No	"	"	"	"	"	"
6718	"	"	"	1935	139560	"	"	Ice	"	53 gals.	"	"	"	"
6719	"	"	"	"	"	"	"	"	"	Water cooler	"	"	"	"
6720	"	"	"	"	133200	"	"	No	"	"	"	"	"	"
6721	"	"	"	1935	139560	"	"	Ice	"	"	"	"	"	"
6722	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6723	"	"	"	"	133200	"	"	No	"	"	"	"	"	"
6724	"	"	"	1934	139560	"	"	Ice	"	53 gals.	"	"	"	"
6725	"	"	"	1935	133200	"	"	No	"	Water cooler	"	"	"	"
6726	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6727	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6728	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6729	"	"	1915	"	122200	"	"	"	4-wh. frict.	"	"	"	"	"
6730	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6731	"	"	"	"	"	"	"	"	"	"	"	"	"	"

+6729-6730 Assigned - Jitney at MM 10/17/48
6735

18

3A

Car No.	Kind	Con- struc- tion	Year		Weight light	Length over buffers uncoupled	Seat- ing cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toi- lets	Wash- ing facil- ities	Seats	
			Built	Re- built									Type	Spacing
6732	Stand. smk.	Steel	1915		122200	80'3-3/4"	92	No	4-wh.friction	Water cooler	Wet	Cold	Wlkov.Panta.	35-1/2"
6733	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6734	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6737	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6738	"	"	"	"	"	"	"	"	"	"	"	"	"	"
37														
6800	Deluxe smk.	Steel	1930		144200	84'5-1/2"	88	Mech.	4-wh.roller	106 gals.	Wet	Hot & cold	Bucket rotat- ing, leather	37-1/2"
6801	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6802	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6803	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6804	"	"	"	"	"	"	"	"	4-wh.friction	"	"	"	"	"
6805	"	"	"	"	"	"	"	"	4-wh.roller	"	"	"	"	"
6806	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6807	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6808	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6809	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6810	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6811	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6812	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6813	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6814	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6815	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6816	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6817	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6818	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6819	"	"	"	"	"	"	"	"	"	"	"	"	"	"

Cars 6800 to 6819 have sealed windows.

*Assigned Jetway - New Haven 10/12/48

Car No.	Kind	Con- struc- tion	Year		Weight light	Length over buffers uncoupled	Seat- ing cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toi- lets	Wash- ing facil- ities	Seats	
			Built	Re- built									Type	Spacing
6820	Deluxe smk.	Steel	1930		144200	84'5-1/2"	88	Mech.	4-wh.roller	106 gals.	Wet	Hot & cold	Bucket, rotat- ing, leather	37-1/2"
6821	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6822	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6823	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6824	"	"	"	*1939	146060	"	80	"	"	212 gals.	"	"	Bucket, rotat. leatherette	"
6825	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6826	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6827	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6828	<i>converted back to Coach 84 3 3/4 4 8</i>													
6829	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6830	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6831	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6832	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6833	"	"	"	"	"	"	"	"	4-wh.friction	"	"	"	"	"
6834	"	"	"	"	"	"	"	"	4-wh.roller	"	"	"	"	"
6835	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6836	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6837	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6838	"	"	"	"	"	"	"	"	4-wh.friction	"	"	"	"	"
6839	"	"	"	"	"	"	"	"	4-wh.roller	"	"	"	"	"
6840	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6841	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6842	"	"	"	"	"	"	"	"	"	"	"	"	"	"
6843	"	"	"	"	"	"	"	"	"	"	"	"	"	"

* Converted from Deluxe coaches.
Cars 6823 to 6843 have sealed windows.

Car No.	Kind	Con- struc- tion	Year		Weight light	Length over buffers uncoupled	Seat- ing cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Wash- ing facil- ities		Seats	
			Built	Re- built							Toi- lets	Wash- ing facil- ities	Type	Spacing
7800	Stand.coach	Steel	1913	1934	137060	80'3-3/4"	88	Ice	6-wh.frict.	Water cooler	Wet	Cold	Wlkov.plush	35-1/2"
7801	"	"	"	1935	"	"	"	"	"	53 gals.	"	"	"	"
7802	"	"	"	"	130700	"	"	No	"	Water cooler	"	"	"	"
7803	"	"	"	1934	137060	"	"	Ice	"	53 gals.	"	"	"	"
7804	"	"	"	1935	"	"	"	"	"	Water cooler	"	"	"	"
7805	Stand.smok.- coach	"	"	"	"	"	"	"	"	"	"	"	"	"
7806	Stand.coach	"	"	"	130700	"	"	No	"	"	"	"	"	"
7807	"	"	"	1935	137060	"	"	Ice	"	53 gals.	"	"	"	"
7808	"	"	"	"	130700	"	"	No	"	Water cooler	"	"	"	"
7809	"	"	"	1935	137060	"	"	Ice	"	53 gals.	"	"	"	"
7810	"	"	"	"	"	"	"	"	"	Water cooler	"	"	"	"
7811	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7812	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7813	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7814	"	"	"	"	"	"	"	"	"	53 gals.	"	"	"	"
7815	"	"	"	"	"	"	"	"	"	Water cooler	"	"	"	"
7816	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7817	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7818	"	"	"	"	"	"	"	"	"	53 gals.	"	"	"	"
7819	"	"	"	"	130700	"	"	No	"	Water cooler	"	"	"	"
7820	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7821	"	"	"	1935	137060	"	"	Ice	"	"	"	"	"	"
7822	"	"	"	"	130700	"	"	No	"	"	"	"	"	"
7823	"	"	"	1935	137060	"	"	Ice	"	53 gals.	"	"	"	"
7824	"	"	"	1934	"	"	"	"	"	Water cooler	"	"	"	"
7825	"	"	"	"	130700	"	"	No	"	"	"	"	"	"
7826	"	"	"	"	"	"	"	"	"	"	"	"	"	"

Condensed 9/1/49

27
19

Car No.	Kind	Con- struc- tion	Year		Weight light	Length over buffers uncoupled	Seat- ing cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toi- lets	Wash- ing facil- ities	Seats	
			Built	Re- built									Type	Spacing
7827	Stand.coach	Steel	1913	1934	137060	80'3-3/4"	88	Ice	6-wh.frict.	Water cooler	Wet	Cold	Wlkov.plush	35-1/2"
7828	"	"	"	"	130700	"	"	No.	"	"	"	"	"	"
7829	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7830 R	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7831	"	"	"	1935	137060	"	"	Ice	"	"	"	"	"	"
7832	"	"	"	"	130700	"	"	No	"	"	"	"	"	"
7833	"	"	"	1935	137060	"	"	Ice	"	53 gals.	"	"	"	"
7834	"	"	1914	"	130700	"	"	No	"	Water cooler	"	"	"	"
7835	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7836	"	"	"	1934	139500	"	"	Ice	"	53 gals.	"	"	"	"
7837	"	"	"	1935	"	"	"	"	"	"	"	"	"	"
7838	"	"	"	"	"	"	"	"	"	Water cooler	"	"	"	"
7839	"	"	"	"	133200	"	"	No	"	"	"	"	"	"
7840	"	"	"	1935	139500	"	"	Ice	"	53 gals.	"	"	"	"
7841	"	"	"	"	133200	"	"	No	"	Water cooler	"	"	"	"
7842	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7843	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7844	"	"	"	1934	139500	"	"	Ice	"	"	"	"	"	"
7845	"	"	"	1935	"	"	"	"	"	53 gals.	"	"	"	"
7846	"	"	"	"	"	"	"	"	"	Water cooler	"	"	"	"
7847	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7848	"	"	"	"	133200	"	"	No	"	"	"	"	"	"
7849	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7850	"	"	"	1934	139500	"	"	Ice	"	53 gals.	"	"	"	"
7851	"	"	"	1935	"	"	"	"	"	"	"	"	"	"
7852	"	"	"	"	133200	"	"	No	"	Water cooler	"	"	"	"
7853	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7854	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7855 R	"	"	"	"	"	"	"	"	"	"	"	"	"	"

X 7/13/50

X Confirmed 7/11/50

13

Car No.	Kind	Con- struc- tion	Year		Weight light	Length over buffers uncoupled	Seat- ing cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toi- lets	Wash- ing facil- ities	Seats	
			Built	Re- built									Type	Spacing
7856	Stand.coach	Steel	1914	1934	139500	80'3-3/4"	88	Ice	6-wt.friction	Water cooler	Wet	Cold	Wlkov.plus	35-1/2"
7857	"	"	"	"	133200	"	"	No	"	"	"	"	"	"
7858	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7859	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7860	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7861	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7862	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7863	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7864	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7865	"	"	"	1934	139500	"	"	Ice	"	53 gals.	"	"	"	"
7866	"	"	"	"	133200	"	"	No	"	Water cooler	"	"	"	"
7867	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7868	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7869	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7870	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7871	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7872	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7873	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7874	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7875	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7876	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7877	"	"	"	1934	139500	"	"	Ice	"	53 gals.	"	"	"	"
7878	"	"	"	"	133200	"	"	No	"	Water cooler	"	"	"	"
7879	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7880	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7881	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7882	"	"	"	1935	139500	"	"	Ice	"	"	"	"	"	"
7883	"	"	"	"	133200	"	"	No	"	"	"	"	"	"

Condensed 2/1/37
28

4

Car No.	Kind	Con- struc- tion	Year		Weight light	Length over buffers uncoupled	Seat- ing cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toi- lets	Wash- ing facil- ities	Seats	
			Built	Re- built									Type	Spacing
7884	Stand.coach	Steel	1914	1934	139500	80'3-3/4"	88	Ice	6-wh.frict.	Water cooler	Wet	Cold	Wikov.plush	35-1/2"
7885	"	"	"	"	133200	"	"	No	"	"	"	"	"	"
7886	"	"	"	1935	139500	"	"	Ice	"	"	"	"	"	"
7887	"	"	"	"	133200	"	"	No	"	"	"	"	"	"
7888	"	"	"	1935	139500	"	"	Ice	"	"	"	"	"	"
7889	"	"	"	"	133200	"	"	No	"	"	"	"	"	"
7891	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7892	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7893	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7894	"	"	"	1935	139500	"	"	Ice	"	53 gals.	"	"	"	"
7896	"	"	"	"	133200	"	"	No	"	Water cooler	"	"	"	"
7897	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7898	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7899	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7900	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7901	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7902	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7903	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7904	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7905	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7906	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7908	"	"	"	1934	139500	"	"	Ice	"	"	"	"	"	"
7909	"	"	"	"	133200	"	"	No	"	"	"	"	"	"
7910	Stand.smok. coach	"	"	1934	139500	"	"	Ice	"	"	"	"	"	"
7911	Stand.coach	"	"	"	133200	"	"	No	"	"	"	"	"	"
7913	"	"	"	1935	139500	"	"	Ice	"	"	"	"	"	"
7914	"	"	"	"	133200	"	"	No	"	"	"	"	"	"
7915	"	"	"	"	"	"	"	"	"	"	"	"	"	"

27

7

Car No.	Kind	Con- struc- tion	Year		Weight light	Length over buffers uncoupled	Seat- ing cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toi- lets	Wash- ing facil- ities	Seats	
			Built	Re- built									Type	Spacing
7916	Stand.coach	Steel	1914		133200	80'3-3/4"	88	No	6-wh.frict.	Water cooler	Wet	Cold	Wilkov.plush	35-1/2"
7917	"	"		1935	139500	"	"	Ice	"	"	"	"	"	"
7918	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7919	"	"		1934	"	"	"	"	"	"	"	"	"	"
7920	"	"		1935	"	"	"	"	"	53 gals.	"	"	"	"
7921 R	"	"		"	122200	"	"	No	4-wh.frict.	Water cooler	"	"	"	"
7922	"	"		1934	128560	"	"	Ice	"	53 gals.	"	"	"	"
7923	"	"		"	122200	"	"	No	"	Water cooler	"	"	"	"
7924	"	"		"	"	"	"	"	"	"	"	"	"	"
7925	"	"		"	"	"	"	"	"	"	"	"	"	"
7926	"	"		"	"	"	"	"	"	"	"	"	"	"
7927 R	"	"		"	"	"	"	"	"	"	"	"	"	"
7928 R	"	"		"	"	"	"	"	"	"	"	"	"	"
7929	"	"		1934	128560	"	"	Ice	"	53 gals.	"	"	"	"
7930	"	"		"	122200	"	"	No	"	Water cooler	"	"	"	"
7931	"	"		"	"	"	"	"	"	"	"	"	"	"
7932	"	"		1934	128560	"	"	Ice	"	"	"	"	"	"
7933 R	"	"		"	122200	"	"	No	"	"	"	"	"	"
7934 R	"	"		"	"	"	"	"	"	"	"	"	"	"
7935	"	"		1935	128560	"	"	Ice	"	"	"	"	"	"
7936	"	"		"	"	"	"	"	"	53 gals.	"	"	"	"
7937 R	"	"		"	122200	"	"	No	"	Water cooler	"	"	"	"
7938	"	"		1935	128560	"	"	Ice	"	"	"	"	"	"
7939	"	"		"	"	"	"	"	"	53 gals.	"	"	"	"
7940	"	"		"	122200	"	"	No	"	Water cooler	"	"	"	"
7941	"	"		"	"	"	"	"	"	"	"	"	"	"
7942	"	"		1935	128560	"	"	Ice	"	53 gals.	"	"	"	"
7943	"	"		1934	"	"	"	"	"	"	"	"	"	"

Condensed 1/1/49

13

Car No.	Kind	Con- struc- tion	Year		Weight light	Length over buffers uncoupled	Seat- ing cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toi- lets	Wash- ing facil- ities	Seats	
			Built	Re- built									Type	Spacing
7944	Stand.coach	Steel	1914		122200	80'3-3/4"	88	No	4-wh.frict.	Water cooler	Wet	Cold	Wlkov.plush	35-1/2"
7945	"	"	"		"	"	"	"	"	"	"	"	"	"
7946	"	"	"		"	"	"	"	"	"	"	"	"	"
7947	"	"	"		"	"	"	"	"	"	"	"	"	"
7948	"	"	"		"	"	"	"	"	"	"	"	"	"
7949	"	"	"		133200	"	"	"	6-wh.frict.	"	"	"	"	"
7950	"	"		1934	139500	"	"	Ice	"	"	"	"	"	"
7951 R	"	"	1915		121860	80'4"	"	No	4-wh.frict.	"	"	"	"	"
7952 R	"	"	"		"	"	"	"	"	"	"	"	"	"
7953 R	"	"	"		"	"	"	"	"	"	"	"	"	"
7954 R	"	"	"		"	"	"	"	"	"	"	"	"	"
7955 R	"	"	"		"	"	"	"	"	"	"	"	"	"
7956	"	"	"		"	"	"	"	"	"	"	"	"	"
7957 R	"	"	"		"	"	"	"	"	"	"	"	"	"
7958	"	"	"		"	"	"	"	"	"	"	"	"	"
7959 R	"	"	"		"	"	"	"	"	"	"	"	"	"
7960	"	"	"		"	"	"	"	"	"	"	"	"	"
7961 R	"	"	"		"	"	"	"	"	"	"	"	"	"
7962	"	"	"		"	"	"	"	"	"	"	"	"	"
7963	"	"	"		"	"	"	"	"	"	"	"	"	"
7964	"	"	"		"	"	"	"	"	"	"	"	"	"
7965	"	"	"		"	"	"	"	"	"	"	"	"	"
7966	"	"	"		"	"	"	"	"	"	"	"	"	"
7967	"	"	"		"	"	"	"	"	"	"	"	"	"
7968 R	"	"	"		"	"	"	"	"	"	"	"	"	"
7969	"	"	"		"	"	"	"	"	"	"	"	"	"
7970	"	"	"		"	"	"	"	"	"	"	"	"	"
7971 R	"	"	1916		125200	"	"	"	"	"	"	"	"	"

X Condempned Sept 21-1949




Car No.	Kind	Con- struc- tion	Year		Weight light	Length over buffers uncoupled	Seat- ing cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toi- lets	Wash- ing facil- ities	Seats	
			Built	Re- built									Type	Spacing
7972	Stand.coach	Steel	1916		125200	80'4"	88	No	4-wh.frict.	Water cooler	Wet	Cold	Wlkov.plush	35-1/2"
7973	"	"	"		"	"	"	"	"	"	"	"	"	"
7974	"	"	"		"	"	"	"	"	"	"	"	"	"
7975	"	"	"		"	"	"	"	"	"	"	"	"	"
7976	"	"	"		"	"	"	"	"	"	"	"	"	"
7977	"	"	"		"	"	"	"	"	"	"	"	"	"
7978	"	"	"		"	"	"	"	"	"	"	"	"	"
7979 X	"	"	"		"	"	"	"	"	"	"	"	"	"
7980	"	"	1917		"	"	"	"	"	"	"	"	"	"
7981	"	"	1916		"	"	"	"	"	"	"	"	"	"
7982	"	"	"		"	"	"	"	"	"	"	"	"	"
7983	"	"	"		"	"	"	"	"	"	"	"	"	"
7984	"	"	"	*1938	"	"	"	"	53 gals.	"	"	† Wlkov.mohair pl.	"	"
7985	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7986	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7987	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7988	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7989	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7990	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7991	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7992	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7993	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7994	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7995	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7996	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7997	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7998	"	"	"	"	"	"	"	"	"	"	"	"	"	"
7999	"	"	"	"	"	"	"	"	"	"	"	"	"	"

* Cars reconitioned on dates shown.

† Streamline type seat.

Condensed 9/29/49



Car No.	Kind	Con- struc- tion	Year		Weight light	Length over buffers uncoupled	Seat- ing cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toi- lets	Wash- ing facil- ities	Seats	
			Built	Re- built									Type	Spacing
8000	Stand.coach	Steel	1916	*1938	125200	80'4"	88	No	4-wh.frict.	53 gals.	Wet	Cold	♦ Wlkov.mohair pl.	35 -1/2"
8001	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8002	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8003	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8004	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8005	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8006	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8007	"	"	1917	"	"	"	"	"	"	"	"	"	"	"
8008	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8009	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8010	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8011	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8012	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8013	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8014	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8015	"	"	"	"	"	"	"	Ice	"	Water cooler	"	"	"	"
8016	"	"	"	*1938	"	"	"	No	"	53 gals.	"	"	"	"
8017	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8018	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8019	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8020	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8021	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8022	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8023	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8024	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8025	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8026	"	"	"	"	"	"	"	"	"	"	"	"	"	"

* Cars reconditioned on dates shown.

♦ Streamline type seat.

27

Car No.	Kind	Con- struc- tion	Year		Weight light	Length over buffers uncoupled	Seat- ing cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toi- lets	Wash- ing facil- ities	Seats	
			Built	Re- built									Type	Spacing
8027	Stand.coach	Steel	1917	*1938	125200	80'4"	88	No	4-wh.friect.	53 gals.	Wet	Cold	♦ Wlkov.mohair pl.	35-1/2"
8028	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8029	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8030	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8031	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8032	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8033	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8034	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8035	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8036	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8037	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8038	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8039	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8040	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8041	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8042	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8043	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8044	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8045	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8046	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8047	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8048	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8049	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8050	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8051	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8052	"	"	"	"	"	"	"	"	"	"	"	"	"	"

* Cars reconditioned on dates shown.

♦ Streamline type seat.

76

Car No.	Kind	Con-struction	Year		Weight light	Length over buffers uncoupled	Seat-ing cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toi-lets	Wash-ing facil-ities	Seats	
			Built	Re-built									Type	Spacing
8053	Stand.coach	Steel	1917	*1938	125200	80'4"	88	No	4-wh.frict.	53 gals.	Wet	Cold	♦ Wlkov.mohair pl.	35-1/2"
8054	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8055	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8056	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8057	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8058	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8059	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8060	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8061	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8062	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8063	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8064	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8065	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8066	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8067	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8068	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8069	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8070	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8071	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8072	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8073	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8074	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8075	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8076	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8077	"	"	1918	"	"	"	"	"	"	"	"	"	"	"
8078	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8079	"	"	"	"	"	"	"	"	"	"	"	"	"	"
† 8080	"	"	"	"	125980	"	"	"	"	50 gals.	"	Hot & cold	"	"

* Cars reconditioned on dates shown.

♦ Streamline type seat.

† 8080 converted from Besler car 9211 in 1944; Besler car 9211 was converted from 8080 in 1936.

Car No.	Kind	Con-struction	Year		Weight light	Length over buffers uncoupled	Seat-ing cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toi-lets	Wash-ing facil-ities	Seats	
			Built	Re-built									Type	Spacing
8081	Stand.coach	Steel	1918	*1938	125200	80'4"	88	No	4-wh.frict.	53 gals.	Wet	Cold	♦ Wlkov.mohair pl.	35-1/2"
8082	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8083	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8084	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8085	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8086	Stand.smok.-coach	"	"	"	"	"	"	"	"	Water cooler	"	"	Wlkov. plush	"
8087	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8088	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8089	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8090	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8091	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8092	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8093	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8094	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8095	"	"	"	"	"	"	"	"	"	"	"	"	"	"

* Cars reconditioned on dates shown.

♦ Streamline type seat.

8100	Deluxe coach	Steel	1930		146060	84'5-1/2"	80	Mech.	4-wh.roll.	212 gals.	Wet	Hot & cold	Bucket, rotating	37-1/2" mohair
8101	"	"	"		"	"	"	"	"	"	"	"	"	"
8102	"	"	"		"	"	"	"	"	"	"	"	"	"
8103	"	"	"		"	"	"	"	"	"	"	"	"	"
8104	"	"	"		"	"	"	"	"	"	"	"	"	"
8105	"	"	"		142460	"	"	Ice	"	"	"	"	"	"
8106	"	"	"		142500	"	"	"	"	"	"	"	"	"
8107	"	"	"		146060	"	"	Mech.	"	"	"	"	"	"
8108	"	"	"		"	"	"	"	"	"	"	"	"	"
8109	"	"	"		"	"	"	"	"	"	"	"	"	"
8110	"	"	"		"	"	"	"	"	"	"	"	"	"
8111	"	"	"		"	"	"	"	"	"	"	"	"	"
8112	"	"	"		"	"	"	"	"	"	"	"	"	"
8113	"	"	"		"	"	"	"	"	"	"	"	"	"

Cars 8100 to 8113 have sealed windows.

Conditioned 4/1/44.

15

Car No.	Kind	Con- struc- tion	Year		Weight light	Length over buffers uncoupled	Seat- ing cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toi- lets	Wash- ing facil- ities	Seats	
			Built	Re- built									Type	Spacing
8114	Deluxe coach	Steel	1930		146060	84'5-1/2"	80	Mech.	4-wh.roll.	212 gals.	Wet	Hot & cold	Bucket, rotating mohair	37-1/2"
8115	"	"	"		"	"	"	"	"	"	"	"	"	"
8116	"	"	"		"	"	"	"	"	"	"	"	"	"
8117	"	"	"		"	"	"	"	"	"	"	"	"	"
8118	"	"	"		"	"	"	"	"	"	"	"	"	"
8119	"	"	"		"	"	"	"	"	"	"	"	"	"
8120	"	"	"		"	"	"	"	"	"	"	"	"	"
8121	"	"	"		"	"	"	"	"	"	"	"	"	"
8122	"	"	"		"	"	"	"	"	"	"	"	"	"
8123	"	"	"		"	"	"	"	"	"	"	"	"	"
8124	"	"	"		"	"	"	"	"	"	"	"	"	"
8125	"	"	"		"	"	"	"	"	"	"	"	"	"
8126	"	"	"		"	"	"	"	"	"	"	"	"	"
8127	"	"	"		"	"	"	"	"	"	"	"	"	"
8128	"	"	"		"	"	"	"	"	"	"	"	"	"
8129	"	"	"		"	"	"	"	"	"	"	"	"	"
8130	"	"	"		"	"	"	"	"	"	"	"	"	"
8131	"	"	"		"	"	"	"	"	"	"	"	"	"
8132	"	"	"		"	"	"	"	"	"	"	"	"	"
8133	"	"	"		"	"	"	"	"	"	"	"	"	"
8134	"	"	"		"	"	"	"	"	"	"	"	"	"
8135	"	"	"		"	"	"	"	"	"	"	"	"	"
8136	"	"	"		"	"	"	"	"	"	"	"	"	"
8137	"	"	"		"	"	"	"	"	"	"	"	"	"
8138	"	"	"		"	"	"	"	"	"	"	"	"	"
8139	"	"	"		"	"	"	"	"	"	"	"	"	"
8151	"	"	"		140580	"	"	Ice	"	"	"	"	"	"
8152	"	"	"		"	"	"	"	"	"	"	"	"	"
8153	"	"	"		"	"	"	"	"	"	"	"	"	"
8154	"	"	"		"	"	"	"	"	"	"	"	"	"
8155	"	"	"		"	"	"	"	"	"	"	"	"	"
8156	"	"	"		"	"	"	"	"	"	"	"	"	"
8157	"	"	"		"	"	"	"	"	"	"	"	"	"
8158	"	"	"		"	"	"	"	"	"	"	"	"	"

48

8163 converted to Coach 3/16/48 from truck 878
 Cars 8114 to 8139 and 8151 to 8158 have sealed windows.

Car No.	Kind	Con- struc- tion	Year built	Weight light	Length over buffers uncoupled	Seat- ing cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toi- lets	Wash- ing facil- ities	Seats	
												Type	Spacing
8200	Streamline coach	Steel	1934	109000	84'6-1/4"	84	Mech.	4-wh.frict.	120 gals.	Wet	Hot & cold	Rotating, mohair plush	39-1/2"
8201	"	"	"	"	"	"	"	"	"	"	"	"	"
8202	"	"	"	"	"	"	"	"	"	"	"	"	"
8203	"	"	"	"	"	"	"	"	"	"	"	"	"
8204	"	"	"	"	"	"	"	"	"	"	"	"	"
8205	"	"	"	"	"	"	"	"	"	"	"	"	"
8206	"	"	"	"	"	"	"	"	"	"	"	"	"
8207	"	"	"	"	"	"	"	"	"	"	"	"	"
8208	"	"	"	"	"	"	"	"	"	"	"	"	"
8209	"	"	"	"	"	"	"	"	"	"	"	"	"
8210	"	"	"	"	"	"	"	"	"	"	"	"	"
8211	"	"	"	"	"	"	"	"	"	"	"	"	"
8212	"	"	"	"	"	"	"	"	"	"	"	"	"
8213	"	"	"	"	"	"	"	"	"	"	"	"	"
8214	"	"	"	"	"	"	"	"	"	"	"	"	"
8215	"	"	"	"	"	"	"	"	"	"	"	"	"
8216	"	"	"	"	"	"	"	"	"	"	"	"	"
8217	"	"	"	"	"	"	"	"	"	"	"	"	"
8218	"	"	"	"	"	"	"	"	"	"	"	"	"
8219	"	"	"	"	"	"	"	"	"	"	"	"	"
8220	"	"	1935	"	"	"	"	"	"	"	"	"	"
8221	"	"	"	"	"	"	"	"	"	"	"	"	"
8222	"	"	"	"	"	"	"	"	"	"	"	"	"
8223	"	"	"	"	"	"	"	"	"	"	"	"	"
8224	"	"	"	"	"	"	"	"	"	"	"	"	"
8225	"	"	"	"	"	"	"	"	"	"	"	"	"
8226	"	"	"	"	"	"	"	"	"	"	"	"	"
8227	"	"	"	"	"	"	"	"	"	"	"	"	"
8228	"	"	"	"	"	"	"	"	"	"	"	"	"
8229	"	"	"	"	"	"	"	"	"	"	"	"	"
8230	"	"	"	"	"	"	"	"	"	"	"	"	"
8231	"	"	"	"	"	"	"	"	"	"	"	"	"
8232	"	"	"	"	"	"	"	"	"	"	"	"	"
8233	"	"	"	"	"	"	"	"	"	"	"	"	"
8234	"	"	"	"	"	"	"	"	"	"	"	"	"
8235	"	"	"	"	"	"	"	"	"	"	"	"	"

Cars 8200 to 8235 have sealed windows.

Car No.	Kind	Con- struc- tion	Year built	Weight light	Length over buffers uncoupled	Seat- ing cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toi- lets	Wash- ing facil- ities	Seats	
												Type	Spacing
8236	Streamline coach	Steel	1935	109000	84'6-1/4"	84	Mech.	4-wh.frict.	120 gals.	Wet	Hot & cold	Rotating, mohair plush	39-1/2"
8237	"	"	"	"	"	"	"	"	"	"	"	"	"
8238	"	"	"	"	"	"	"	"	"	"	"	"	"
8239	"	"	"	"	"	"	"	"	"	"	"	"	"
8240	"	"	"	"	"	"	"	4-wh.roll.	"	"	"	"	"
8241	"	"	"	"	"	"	"	"	"	"	"	"	"
8242	"	"	"	"	"	"	"	"	"	"	"	"	"
8243	"	"	"	"	"	"	"	"	"	"	"	"	"
8244	"	"	"	"	"	"	"	"	"	"	"	"	"
8245	"	"	"	"	"	"	"	"	"	"	"	"	"
8246	"	"	"	"	"	"	"	"	"	"	"	"	"
8247	"	"	"	"	"	"	"	"	"	"	"	"	"
8248	"	"	"	"	"	"	"	"	"	"	"	"	"
8249	"	"	"	"	"	"	"	"	"	"	"	"	"
8250	L	"	1936	107000	"	"	"	"	"	"	"	"	"
8251	* *	"	"	"	"	"	"	"	"	"	"	"	"
8252	"	"	"	"	"	"	"	"	"	"	"	"	"
8253	"	"	"	"	"	"	"	"	"	"	"	"	"
8254	"	"	"	"	"	"	"	"	"	"	"	"	"
8255	"	"	"	"	"	"	"	"	"	"	"	"	"
8256	L	"	"	"	"	"	"	"	"	"	"	"	"
8257	"	"	"	"	"	"	"	"	"	"	"	"	"
8258	L	"	"	"	"	"	"	"	"	"	"	"	"
8259	"	"	"	"	"	"	"	"	"	"	"	"	"
8260	"	"	"	"	"	"	"	"	"	"	"	"	"
8261	"	"	"	"	"	"	"	"	"	"	"	"	"
8262	L	"	"	"	"	"	"	"	"	"	"	"	"
8263	"	"	"	"	"	"	"	"	"	"	"	"	"
8264	"	"	"	"	"	"	"	"	"	"	"	"	"
8265	L	"	"	"	"	"	"	"	"	"	"	"	"
8266	"	"	"	"	"	"	"	"	"	"	"	"	"
8267	"	"	"	"	"	"	"	"	"	"	"	"	"
8268	"	"	"	"	"	"	"	"	"	"	"	"	"
8269	"	"	"	"	"	92	"	"	"	"	"	Walkover, mohair plush	36"
8270	"	"	"	"	"	"	"	"	"	"	"	"	"

OK Comms. Dept.
Club car 8251 - Southport

Cars 8236 to 8270 have sealed windows.

Car No.	Kind	Con- struc- tion	Year built	Weight light	Length over buffers uncoupled	Seat- ing cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toi- lets	Wash- ing facil- ities	Seats	
												Type	Spacing
8271	Streamline coach	Steel	1936	107000	84'6-1/4"	92	Mech.	4-wh.roll.	120 gals.	Wet	Hot & cold	Walkover, mohair plush	36"
8272	"	"	"	"	"	"	"	"	"	"	"	"	"
8273	"	"	"	"	"	"	"	"	"	"	"	"	"
8274	"	"	"	"	"	"	"	"	"	"	"	"	"
8275	"	"	"	"	"	"	"	"	"	"	"	"	"
8276	"	"	"	"	"	"	"	"	"	"	"	"	"
8277	"	"	"	"	"	"	"	"	"	"	"	"	"
8278	"	"	"	"	"	"	"	"	"	"	"	"	"
8279	"	"	"	"	"	"	"	"	"	"	"	"	"
8280	"	"	"	"	"	"	"	"	"	"	"	"	"
8281	"	"	"	"	"	"	"	"	"	"	"	"	"
8282	"	"	"	"	"	"	"	"	"	"	"	"	"
8283	"	"	"	"	"	"	"	"	"	"	"	"	"
8284	"	"	"	"	"	"	"	"	"	"	"	"	"
8285	"	"	"	"	"	"	"	"	"	"	"	"	"
8286	"	"	"	"	"	"	"	"	"	"	"	"	"
8287	"	"	"	"	"	"	"	"	"	"	"	"	"
8288	"	"	"	"	"	"	"	"	"	"	"	"	"
8289	"	"	"	"	"	"	"	"	"	"	"	"	"
8290	"	"	"	"	"	"	"	"	"	"	"	"	"
8291	"	"	"	"	"	"	"	"	"	"	"	"	"
8292	"	"	"	"	"	"	"	"	"	"	"	"	"
8293	"	"	"	"	"	"	"	"	"	"	"	"	"
8294	"	"	1937	"	"	"	"	"	"	"	"	"	"
8295	"	"	"	"	"	"	"	"	"	"	"	"	"
8296	"	"	"	"	"	"	"	"	"	"	"	"	"
8297	"	"	"	"	"	"	"	"	"	"	"	"	"
8298	"	"	"	"	"	"	"	"	"	"	"	"	"
8299	"	"	"	"	"	"	"	"	"	"	"	"	"
8300	"	"	"	108000	"	"	"	"	"	"	"	"	"
8301	"	"	"	"	"	"	"	4-wh.frict.	"	"	"	"	"
8302	"	"	"	"	"	"	"	"	"	"	"	"	"
8303	"	"	"	"	"	"	"	4-wh.roll.	"	"	"	"	"
8304	"	"	"	"	"	"	"	4-wh.frict.	"	"	"	"	"
8305	"	"	"	"	"	"	"	4-wh.roll.	"	"	"	"	"

Cars 8271 to 8305 have sealed windows.

Car No.	Kind	Con- struc- tion	Year built	Weight light	Length over buffers uncoupled	Seat- ing cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toi- lets	Wash- ing facil- ities	Seats	
												Type	Spacing
8306	Streamline coach	Steel	1937	108000	84'6-1/4"	92	Mech.	4-wh.frict.	120 gals.	Wet	Hot & cold	Walkover, mohair plush	36"
8307	"	"	"	"	"	"	"	4-wh.roll.	"	"	"	"	"
8308	"	"	"	"	"	"	"	4-wh.frict.	"	"	"	"	"
8309	"	"	"	"	"	"	"	4-wh.roll.	"	"	"	"	"
8310	"	"	"	"	"	"	"	4-wh.frict.	"	"	"	"	"
8311	"	"	"	"	"	"	"	"	"	"	"	"	"
8312	"	"	"	"	"	"	"	4-wh.roll.	"	"	"	"	"
8313	"	"	"	"	"	"	"	4-wh.frict.	"	"	"	"	"
8314	"	"	"	"	"	"	"	4-wh.roll.	"	"	"	"	"
8315	"	"	"	"	"	"	"	"	"	"	"	"	"
8316	"	"	"	"	"	"	"	"	"	"	"	"	"
8317	"	"	"	"	"	"	"	4-wh.frict.	"	"	"	"	"
8318	"	"	"	"	"	"	"	"	"	"	"	"	"
8319	"	"	"	"	"	"	"	"	"	"	"	"	"
8320	"	"	"	"	"	"	"	"	"	"	"	"	"
8321	"	"	"	"	"	"	"	4-wh.roll.	"	"	"	"	"
8322	"	"	"	"	"	"	"	4-wh.frict.	"	"	"	"	"
8323	"	"	"	"	"	"	"	"	"	"	"	"	"
8324	"	"	"	"	"	"	"	4-wh.roll.	"	"	"	"	"
8325	"	"	"	"	"	"	"	4-wh.frict.	"	"	"	"	"
8326	"	"	"	"	"	"	"	"	"	"	"	"	"
8327	"	"	"	"	"	"	"	"	"	"	"	"	"
8328	"	"	"	"	"	"	"	"	"	"	"	"	"
8329	"	"	"	"	"	"	"	"	"	"	"	"	"
8330	"	"	"	"	"	"	"	"	"	"	"	"	"
8331	"	"	"	"	"	"	"	"	"	"	"	"	"
8332	"	"	"	"	"	"	"	4-wh.roll.	"	"	"	"	"
8333	"	"	"	"	"	"	"	"	"	"	"	"	"
8334	"	"	"	"	"	"	"	4-wh.frict.	"	"	"	"	"
8335	"	"	"	"	"	"	"	4-wh.roll.	"	"	"	"	"
8336	"	"	"	"	"	"	"	"	"	"	"	"	"
8337	"	"	"	"	"	"	"	4-wh.frict.	"	"	"	"	"
8338	"	"	"	"	"	"	"	4-wh.roll.	"	"	"	"	"
8339	"	"	"	"	"	"	"	4-wh.frict.	"	"	"	"	"

Cars 8306 to 8339 have sealed windows.

*Book Value - 13000000
of Feb 22, 1944 - 40 510*

Car No.	Kind	Construction	Year built	Weight light	Length over buffers uncoupled	Seating cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toilets	Washing facilities	Seats	
												Type	Spacing
8340	Streamline coach	Steel	1937	108000	84'6-1/4"	92	Mech.	4-wh.roll	120 gals.	Wet	Hot & cold	Walkover, mohair plush	36"
8341	"	"	"	"	"	"	"	"	"	"	"	"	"
8342	"	"	"	"	"	"	"	4-wh.frict.	"	"	"	"	"
8343	"	"	"	"	"	"	"	4-wh.roll.	"	"	"	"	"
8344	"	"	"	"	"	"	"	4-wh.frict.	"	"	"	"	"
8345	"	"	"	"	"	"	"	"	"	"	"	"	"
8346	"	"	"	"	"	"	"	"	"	"	"	"	"
8347	"	"	"	"	"	"	"	4-wh.roll.	"	"	"	"	"
8348	"	"	"	"	"	"	"	4-wh.frict.	"	"	"	"	"
8349	"	"	"	"	"	"	"	"	"	"	"	"	"
8350	"	"	1938	"	"	"	"	"	"	"	"	"	"
8351	"	"	"	"	"	"	"	"	"	"	"	"	"
8352	"	"	"	"	"	"	"	"	"	"	"	"	"
8353	"	"	"	"	"	"	"	"	"	"	"	"	"
8354	"	"	"	"	"	"	"	"	"	"	"	"	"
8355	"	"	"	"	"	"	"	"	"	"	"	"	"
8356	"	"	"	"	"	"	"	"	"	"	"	"	"
8357	"	"	"	"	"	"	"	"	"	"	"	"	"
8358	"	"	"	"	"	"	"	"	"	"	"	"	"
8359	"	"	"	"	"	"	"	"	"	"	"	"	"
8360	"	"	"	"	"	"	"	"	"	"	"	"	"
8361	"	"	"	"	"	"	"	"	"	"	"	"	"
8362	"	"	"	"	"	"	"	"	"	"	"	"	"
8363	"	"	"	"	"	"	"	"	"	"	"	"	"
8364	"	"	"	"	"	"	"	"	"	"	"	"	"
8365	"	"	"	"	"	"	"	"	"	"	"	"	"
8366	"	"	"	"	"	"	"	"	"	"	"	"	"
8367	"	"	"	"	"	"	"	"	"	"	"	"	"
8368	"	"	"	"	"	"	"	"	"	"	"	"	"
8369	"	"	"	"	"	"	"	"	"	"	"	"	"

Cars 8340 to 8369 have sealed windows.

Car No.	Kind	Con-struction	Year		Weight light	Length over buffers uncoupled	Seat-ing cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toi-lets	Wash-ing facil-ities	Seats	
			Built	Re-built									Type	Spacing
8500	Streamline smok.& coach	Steel	1938	*1940	108000	84'6-1/4"	80	Mech.	4-wh.roll.	120 gals.	Wet	Hot & cold	△ Rotating reclining plush	39-1/2"
8501	"	"	"	*1940	"	"	"	"	"	"	"	"	△	"
8502	"	"	"	*1940	"	"	"	"	"	"	"	"	△	"
8503	"	"	"	*1940	"	"	"	"	"	"	"	"	△	"
8504	Streamline coach	"	"	"	"	"	84	"	"	"	"	"	"	"
8505	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8506	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8507	"	"	"	"	"	"	"	"	4-wh.frict.	"	"	"	"	"
8508	"	"	"	"	"	"	"	"	4-wh.roll.	"	"	"	"	"
8509	"	"	"	"	"	"	"	"	4-wh.frict.	"	"	"	"	"
8510	"	"	"	"	"	"	"	"	4-wh.roll.	"	"	"	"	"
8511	"	"	"	"	"	"	"	"	4-wh.frict.	"	"	"	"	"
8512	"	"	"	"	"	"	"	"	4-wh.roll.	"	"	"	"	"
8513	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8514	"	"	"	"	"	"	"	"	4-wh.frict.	"	"	"	"	"
8515	"	"	"	"	"	"	"	"	4-wh.roll.	"	"	"	"	"
8516	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8517	"	"	"	"	"	"	"	"	4-wh.frict.	"	"	"	"	"
8518	"	"	"	"	"	"	"	"	4-wh.roll.	"	"	"	"	"
8519	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8520	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8521	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8522	"	"	"	"	"	"	"	"	4-wh.frict.	"	"	"	"	"
8523	"	"	"	"	"	"	"	"	4-wh.roll.	"	"	"	"	"
8524	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8525	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8526	"	"	"	"	"	"	"	"	4-wh.frict.	"	"	"	"	"
8527	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8528	"	"	"	"	"	"	"	"	"	"	"	"	"	"
8529	"	"	"	"	"	"	"	"	"	"	"	"	"	"

* Remodeled to coach-smoker under date rebuilt.

△ 64 reclining in coach - 16 individual chairs in smoking compartment

Cars 8500 to 8529 have sealed windows.

Best view of the car is shown in the drawing on the opposite page.

Car No.	Kind	Con- struc- tion	Year		Weight light	Length over couplers	Length Baggage compartment	Seat- ing cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toi- lets	Wash- ing facil- ities	Seats	
			Built	Re- built										Type	Spac- ing
9003	Gas Trailer Bagg. & Pass.	Steel & alu- minum	1923	*1933	49700	61'0"	8'0"	62	No	4-wheel friction	Water cooler	Dry	No	Walkover Pantasote & plush	32"

* Remodeled from gas rail car.

This car has a turtle back roof.

Car No.	Kind	Con- struc- tion	Year		Weight light	Length over couplers	Seat- ing cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank cap'y	Toi- lets	Wash- ing facil- ities	Seats	
			Built	Re- built									Type	Spacing
9015	Gas Trailer Smok. & Coach	Steel	1925	*1933	51900	51'0-3/4"	48	No	4-wheel friction	Water cooler	No	No	Walkover Pantasote & plush	32"
9019	"	"	"	"	"	"	"	"	"	"	"	"	"	"
9021	"	"	"	"	"	"	"	"	"	"	"	"	"	"
3														

* Remodeled from gas rail cars.

These cars have turtle back roofs.

*See S 702 (103) All Coaches
Account 1947-1948*

Car No.	Kind	Con- struc- tion	Year		Weight over light	Length over couplers	Length Baggage compartment	Seat- ing cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toi- lets	Wash- ing facil- ities	Seats	
			Built	Re- built										Type	Spacing
9101	Gas-Elec. Motor Bagg.& Pass.	Steel	1926		109250	74'8 3/4"	11'3"	72	No	4-wheel roller	Water cooler	Dry	No	Walkover Pantasote & plush	31-1/2"
9105	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"
9106	"	"	1927		"	"	"	"	"	"	"	"	"	"	"
9107	"	"	"		"	"	"	"	"	"	"	"	"	"	"
9108	"	"	"		"	"	"	"	"	"	"	"	"	"	"
9110	"	"	"		"	"	"	"	"	"	"	"	"	"	"
9111	"	"	"		"	"	"	"	"	"	"	"	"	"	"
9114	"	"	1926	*1935	110000	"	20'9"	56	"	4-wheel friction	"	"	"	"	"

8

* Acquired second hand.

These cars have turtle back roofs.

e. condemned.

Car No.	Kind	Con- struc- tion	Year built	Total train weight light	Length over couplers	Seat- ing cap'y	Air cond.	Trucks and Bearings	Drinking water overhead tank capacity	Toi- lets	Wash- ing facil- ities	Seats	
												Type	Spacing
9200	(Articulated Diesel Train)	Trail.	(Aluminum (and	1935	{ 58'8"	64	Mech.	4-wh.roll.	None	No	No	Walkov.-plush	39"
9201	(Train "The Comet"	Motor	(Steel	"	{ 260590 74'2"	48	"	"	Water cooler	Wet	Cold	"	"
9202	("	("	{ 74'2"	48	"	"	"	"	"	"	"

3

<u>Car No.</u>	<u>Kind</u>	<u>Con- struc- tion</u>	<u>Year built</u>	<u>Weight light</u>	<u>Length over couplers</u>	<u>Capacity</u>	<u>Trucks and Bearings</u>
----------------	-------------	---------------------------------	-----------------------	-------------------------	-------------------------------------	-----------------	--------------------------------

24760	Milk box	Steel Und.	1928	50500	40+9=3/4"	80000#	4-wht. standard
------------------	---------------------	-----------------------	-----------------	------------------	----------------------	-------------------	----------------------------

24793	"	"	1930	"	"	"	"
------------------	--------------	--------------	-----------------	--------------	--------------	--------------	--------------

24794	"	"	"	"	"	"	"
------------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------

3

Condemned Aug 17-1946.
" Aug 29-1946.
" Aug 6-1946