

WESTERN MARYLAND RAILWAY COMPANY

Reporting Marks and ACI Nos.—WM - 0 839

Uniform Alphabetic and Numeric Code—WM - 839

VOL-97 #4
APRIL-1982

4-82

FREIGHT EQUIPMENT

Cars are marked "WM" and are numbered and classified as follows:

Line No.	A.A.R. Mech. Desig.	DESCRIPTION	A.A.R. Car Type Code	NUMBERS Change from Previous Issue	DIMENSIONS										CAPACITY		No. of Cars										
					INSIDE			OUTSIDE					DOORS		Cubic Feet Level Full	Lbs. (000)											
					Length	Width	Height	Length	Width	Height from Rail	Side																
ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.															
<i>See Explanation Pages for Abbreviations & Symbols</i>																											
WM																											
1	LP	Flat, Pulpwood, Blkhd	L026	56-70	45	10	4	6	5	56	8	10	4	3	5	4	1	10	7	100	11						
2	LP	Flat, Pulpwood, Blkhd	L026	375-380	45	10	4	6	6	53	9	10	4	3	5	10	7	110	6								
3	LP	Flat, Pulpwood, Blkhd	L026	381-400	45	10	4	6	5	53	8	10	4	10	4	3	5	4	1	10	7	110	20				
4	LP	Pulpwood, Cast Stl., Blkhd	L026	401-410	38	10	8	8	6	11	45	10	8	8	9	4	6	11	4	1	11	1	100	10			
5	FM	Flat, Stl.	F102	2320	53	6	10	6	3	8	56	8	10	8	4	11	3	8	4	11	110	1					
6	FM	Flat, Stl.	F101	2401-2475	50	6	9	4	53	9	10	6	10	6	3	8	3	8	5	8	100	68				
7	FM	Flat, Stl.	F202	2601-2710	53	6	9	2	56	9	10	6	10	6	3	8	3	8	5	4	154	87				
8	FMS	Flat, Stl.	F212	2633, 2655, 2687	53	6	9	2	56	9	10	6	10	6	3	8	3	8	5	4	154	3				
9	HM	Hop., Twin, Stl., Stl. Underfr., Wood Chip	H140	2941-2960	31	10	9	9	35	8	10	7	10	7	11	14	14	14	2958	100	7					
10	HT	Hop., Stl., Wood Chip	H350	3101-3103	66	6	9	8	70	11	10	6	10	8	3	6	15	3	15	3	6936	200	3			
11	XM	Box, 25K	B106	4201-4490	40	6	9	2	10	5	44	4	9	4	10	8	5	8	14	4	15	8	9	10	3860	100	4
12	LO	Covered Hop., Center Flow Outlet	L153	4651-4653	49	9	10	7	53	10	10	10	8	8	11	13	11	15	6	4650	196	3				
13	LO	Covered Hop.	L153	4661-4690	49	6	10	1	53	1	9	11	10	8	3	6	14	15	1	4427	199	28				
14	LO	Covered Hop.	L153	4701-4750	54	6	10	59	2	10	6	10	6	4	11	14	1	15	1	4740	200	49				
15	LO	Hop., Stl., (Cement)	L151	4901-4946	29	3	9	5	37	9	10	3	10	3	12	3	12	3	13	2	2003	140	33			
LO	Hop., Stl., (Cement)	L151	5101-5200	29	3	9	5	37	9	10	2	10	2	3	2	11	9	13	1958	140	68				
LO	Hop., Stl., (Cement)	L151	5251-5288	26	3	9	8	35	9	10	4	10	4	3	6	11	11	13	1740	140	25				
18	LO	Covered Hop.	L151	5351-5390	29	3	9	6	39	3	10	2	10	2	3	3	11	9	13	1	1892	140	24			
19	LG	Container, 8 Containers, Cap. 1160 Cubic Ft.	L017	5404	52	6	9	6	3	6	57	1	10	4	10	9	7	7	2	7	3	140	1				
20	GB	Gond.	G322	5413-5416	52	6	9	6	3	6	57	1	10	4	10	9	7	7	2	7	3	140	2				
21	LG	Container, 10 Containers, Cap. 1450 Cubic Ft.	L017	5431-5440	52	6	9	6	3	6	57	1	10	4	10	9	6	11	7	7	2	200	5				
22	G8	Gond.	G342	5436	52	6	9	6	3	6	57	1	10	4	10	9	7	7	3	7	3	200	1				
23	LG	Container, 8 Containers, Cap. 1160 Cubic Ft.	L017	5441-5444	52	6	9	6	3	6	57	1	10	4	10	9	6	11	7	7	2	140	3				

WESTERN MARYLAND RAILWAY COMPANY —Continued

Line No.	A.A.R. Mech. Desig.	DESCRIPTION	A.A.R. Car Type Code	NUMBERS Change from Previous Issue	DIMENSIONS												CAPACITY		No. of Cars
					INSIDE			OUTSIDE					DOORS		Cubic Feet Full	Lbs. (000)			
					Length	Width	Height	Length	Width	Height from Rail	Side								
ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.						
See Explanation Pages for Abbreviations & Symbols																			
WM																			
1	LG	Container, 8 Containers, Cap. 1160 Cubic Ft.	L017	5446	52 6	9 6	3 6	57 1	10 4	10 9	6 11	7	7 2			140	1		
2	LG	Container, 10 Containers, Cap. 1450 Cubic Ft.	L017	5451-5460	52 6	9 6	3 6	57 1	10 4	10 9	6 11	7	7 2			200	7		
3	GB	Gond.	G322	5455, 5459	52 6	9 6	3 6	57 1	10 4	10 9	7	7 3	7 3			200	2		
4	LO	Hop., Stl., (Cement)	L151	5501-5550	29 3	9 5		37 9	10 3	10 3	12 3	12 3	13 2			2003	140		
5	LO	Covered Hop., Plastic Lining, (Bulk Flour), Air Slide	L451	5551-5557	29 6	9 11	11 9	42	10 1	10 8	13 6	13 11	14 5			2600	140		
6	LO	Covered Hop., Plastic Lining, (Bulk Flour), Air Slide	L453	5558-5567	48 11	9 11		54 1	10 8	10 8	13 5	13 11	14 6			4180	200		
7	LO	Hop., Stl., (Cement)	L151	5601-5950	29 3	9 5		37 9	10 2	10 2	12 2	12 5	13 2			2003	154		
8	FD	Flat, Stl., Depressed Center, See Heavy Cap. Section	F320	6003	52 1	8 4		55 4	8 11	8 11	2 7	3 11	6 9			267	1		
9	FW	Flat, Wall Hole, See Heavy Cap. Section	F240	6010-6011	47 5	10 6		50 8	10 7	10 7	5 6	5 9	8 3			180	2		
10	FM	Flat, Stl.	F102	7001-7030	53 6	9 4		56 9	10 6	10 6	3 5	3 5	5 1			110	15		
11	FC	Flat, Stl., Equipped to Carry Trailers	F872	7001, 7006, 7013, 7020, 7022, 7024, 7030	53 6	9 4		56 9	10 6	10 6	3 5	3 5	5 1			110	7		
12	FMS	Flat, Stl., Roller Bearings, Portec Tie-Down Equipment, (Auto Frames)	F112	7014, 7015, 7017-7019, 7025, 7027-7028	53 6	9 4		56 9	10 6	10 6	3 5	3 5	5 1			110	8		
13	HM	Hop., Stl.	H140	10001-14400	31	9 9		35 8	10 7	10 7	10 10	11	11 4			2028	110		
14	HM	Hop., Stl.	H140	10904, 10923-10924, 10926, 10928, 10960, 10998, 11006, 11052, 11067, 11072, 11125, 11154, 11178, 11193, 11235, 11245, 11247, 11279, 11300, 12278	30 4	9 9		35 8	10 7	10 7	11	11	11			2007	110		
15	HM	Hop., Stl.	H140	14884-14885	32 8	9 9		37 4	10 7	10 7	10 6	10 8	11			2028	110		
16	HM	Hop., Stl.	H140	17001-18900	35 4	9 9		38 11	10 7	10 7	11	11	11 1			2318	132		
17	HM	Hop.	H140	17293, 17858, 18724, 18742	35 4	9 9		38 11	10 7	10 7	11	11	11 1			2318	120		
18	HMS	Hop., Stl., (Ferro-Manganese)	K120	17296, 17338, 17625, 17700, 17791, 17972, 18013, 18079, 18136, 18187, 18197, 18265, 18285, 18514, 18519, 18558, 18575, 18608, 18617, 18624, 18751, 18754, 18782, 18822	35 4	9 9		38 11	10 7	10 7	11 1	11	11 1			2318	132		
19	HM	Hop., Stl.	H140	21001-21553	31	9 10		35 8	10 7	10 7	11	11	11 1			2028	110		
20	XM	Box, Stl., 25K	B106	25001-25155	40 6	9 2	10 5	44 4	9 4	10 8	5 8	14 2	14 9	8	9 10	3860	110		
21	XL	Box, Stl., DF Loaders, Adjustable Belts, 25K	A130	25079	40 6	9 2	10 5	44 4	9 4	10 8	5 8	14 2	14 9	8	9 10	3860	110		
22	XM	Box, Stl., 25K	B101	26001-26050	40 4	9	9 11	45 3	9 11	10 8	4 6	13 6	14 7	7	9 3	3601	110		
23	XM	Box, Stl., 25K	B101	26053-26226	40 4	9 2	9 11	45 3	9 5	10 8	4 6	13 11	14 7	7	9 3	3695	110		
24	XM	Box, Stl., 25K	B101	26501-26650	40 6	9 2	9 11	44 6	9 5	10 8	4 6	13 6	14 6	7	9 3	3695	110		
25	XM	Box, Stl.	B100	27037	40 6	8 9	9 3	45 1	9 2	10 3	5 5	13 2	13 10	6	8 8	3311	100		
26	XM	Box, Stl., Stagg. Doors, 25K	B204	31002-31050	50 6	9 6	9 10	54 4	9 8	10 8	5 4	13 10	14 5	15	9 2	4720	100		
27	XM	Box, 25K	B209	31051-31065	50 6	9 4	10 5	55	9 3	10 8	5 4	14 5	15	15	9 9	4932	100		
28	XM	Box, Nailable Stl. Fr., 25K	B209	32001-32040	50 6	9 2	10 5	54 4	9 3	10 7	5 8	14 5	15	11 11	9 9	4843	100		
29	XL	Box, DF Loaders, Adjustable Belts, 25K	A230	34001-34010	50 6	9	10 5	54 4	9 3	10 7	5 8	14 5	15	8	9 9	4769	100		
30	XL	Box, Stl., DF Loaders, Adjustable Belts, 25K	A230	34051-34075	50 6	9	10 5	54 4	9 3	10 7	5 8	14 6	15	8	9 9	4769	100		
31	XL	Box, DF Loaders, Adjustable Belts, 25K	A230	34076-34083	50 6	9 4	10 5	55	9 3	10 8	5 4	14 6	15	9	9 9	4932	100		
32	XL	Box, DF Loaders, Adjustable Belts, 25K	A230	34101-34125	50 6	9 4	10 5	57 5	9 3	10 8	5 4	14 6	15	9	9 9	4932	140		
33	XL	Box, DF-2 Belt Rails, 7' Plug Door, 9' Sliding Door, 25K	A230	35001-35050	50 6	9 4	10 5	57 6	9 6	10 8	3 4	14 6	15	9	9 9	4932	140		
34	XL	Box, DF-2 Belt Rails, 30" Travel Cush. Underfr., 25K	A230	35051-35100	50 6	9 4	10 5	60 5	9 6	10 8	13 7	14 6	15	10	9 9	4932	154		
35	XL	Box, DF-2 Belt Rails, 30" Travel Cush. Underfr., 25K	A230	35091, 35093, 35100	50 5	9 4	10 4	60 5	9 6	10 8	13 7	14 6	15	10	9 9	4932	154		
36	XL	Box, DF-2 Belt Rails, 30" Travel Cush. Underfr., 50K	A230	35101-35150	50 6	9 4	10 5	60 5	9 6	10 8	13 7	14 3	14 10	10	9 10	4932	154		
37	XL	Box, DF-2 Belt Rails, 30" Travel Cush. Underfr., 50K	A230	35128, 35134, 35140, 35147, 35149	50 5	9 4	10 4	60 5	9 6	10 8	13 7	14 3	14 10	10	9 10	4932	154		
38	XL	Box, DF-2 Belt Rails, 25K	A230	35151-35300	50 6	9 4	10 5	58 1	9 6	10 8	13 7	14 3	14 10	10	9 10	4932	140		
39	XL	Box, DF-2 Belt Rails, 25K	A230	35153, 35159, 35187, 35203-35204, 35219, 35222, 35231, 35240, 35245, 35248, 35266, 35271, 35280, 35285, 35289, 35295	50 5	9 4	10 4	58 1	9 6	10 8	13 7	14 3	14 10	10	9 10	4932	140		
40	RBL	Box, Insulated, 2 Evans Bkhd., Full Track	R206	36001-36020	50 1	9 5	9 10	55 4	10 6	10 8	3 5	14 3	15	10 6	9 4	4640	140		
41	RBL	Box, Insulated, Evans Side Wall Fillers, 2 Evans Bkhd., Full Track, 56 Wooden Pallets Supplied by H.J. Heinz Co., 50K	R206	36001-36008, 36010, 36012-36018	50 1	9 4	9 10	55 4	10 6	10 8	3 5	14 3	15	10 6	9 4	4640	140		
42	RBL	Box, Insulated, Evans Side Wall Fillers, 2 Evans Bkhd., Full Track, 56 Wooden Pallets Supplied by H.J. Heinz Co., 50K	R206	36021-36035	50 6	9 2	10 6	55 4	10	10 8	6	14 5	15 2	10 6	10	4903	140		
43	RBL	Box, Insulated, 2 Evans Bkhd., Full Track	R206	36022, 36024, 36028	50 6	9 3	10 6	55 4	10	10 8	6	14 5	15 2	10 6	10	4903	140		
44	XL	Box, Adjustable DF-1 Belt Rails, 50K	A330	38001-38010	60 8	9 2	11 6	68 3	9 6	10 8	5 9	15 2	15 6	10	11 2	6450	140		
45	XL	Box, DF-2, 9 Adjustable Belt Rails, 50K	A330	38011-38020	60 8	9 4	11 6	68 3	9 6	10 8	5 9	15 2	15 6	10	11 1	6524	184		
46	GB	Gond., Stl. Sides, Stl. Fixed Ends, Flat Bottom, Stl. Fr.	G412	50001-50050	65 5	7 8	3 6	70 5	8 7	8 11	1 10	7	7 1			1778	140		
47	GBS	Gond., Stl. Sides, Stl. Fixed Ends, Flat Bottom, Stl. Fr., Bkhd.	E430	50051-50075	65 6	9	5 6	69 10	10 2	10 2	9 1	9 1	11 7			3242	140		
48	GB	Gond., Stl. Sides & Ends & Underfr., Drop Ends, Flat Bottom, Wood Fr.	G342	51405-51493	52 6	9 6	3 4	57 6	10 4	10 9	4 6	7 1	7 3			1642	100		
49	GB	Gond., Stl. Sides, Stl. Drop Ends, Flat Bottom, Stl. Fr.	G221	52001-52362	48 6	9 6	3	54	10 5	10 9	4 6	6 9	6 9			1382	100		
50	GB	Gond., Stl. Sides, Stl. Drop Ends, Flat Bottom, Stl. Fr.	G422	53001-53050	65 6	7 9	3 6	69 10	8 7	9	5 10	7	7 2			1777	140		
51	GBR	Gond., 3 Section Removable Roof, Special Loading	E320	54930-54950	52 6	9 5	4 10	57 1	10 3	10 8	7	9 3	10 5			1745	154		

CONTINUED ON FOLLOWING PAGE

WESTERN MARYLAND RAILWAY COMPANY -Continued

No.	A.A.R. Mech. Desig.	DESCRIPTION	A.A.R. Car Type Code	NUMBERS <i>Change from Previous Issue</i>	DIMENSIONS										CAPACITY		No. of Cars										
					INSIDE			OUTSIDE				DOORS			Cubic Feet Level Full	Lbs. (000)											
					Length	Width	Height	Length	Width	Height from Rail	Side																
ft. in.	ft. in.	ft. in.	ft. in.	At Eaves or Top of Sides or Platform	Extreme Width	To Extreme Width	To Eaves or Top of Sides or Platform	To Extreme Height	Width of Open'g	Height of Open'g	ft. in.	ft. in.	ft. in.	ft. in.													
<i>See Explanation Pages for Abbreviations & Symbols</i>																											
1	GB	Gond.	G332	54933, 54936, 54941, 54949	52	6	9	5	4	10	57	1	10	3	10	8	7	9	3	10	5	1745	154	4			
2	GBSR	Gond., 3 Section Removable Roof, Special Loading	E340	54951-54960	52	11	9	6	5	2	59	2	10	8	10	8	7	7	9	2	9	2	2010	193	5		
3	GB	Gond.	G332	54951, 54952, 54956-54957, 54960	52	11	9	6	5	2	59	2	10	8	10	8	7	7	9	2	9	2	2010	200	5		
4	GBSR	Gond., 3 Section Removable Roof, Special Loading	E340	54961-54970	52	11	9	6	4	59	2	10	8	10	8	7	10	8	1	10	10	2010	193	1		
5	GB	Gond.	G332	54961, 54962, 54964-54970	52	11	9	6	4	59	2	10	8	10	8	7	9	7	9	7	9	2010	200	9		
6	GB	Gond., Stl. Sides, Stl. Fixed Ends, Flat Bottom, Composite Flrs.	G332	55052-55080	52	6	9	6	3	6	57	1	10	4	10	4	4	6	7	3	7	5	1745	154	2		
7	GB	Gond., Stl. Sides, Stl. Fixed Ends, Flat Bottom, Wood Fr.	G332	55101-55175	52	6	9	6	3	2	57	1	10	4	10	4	4	6	7	7	2	1585	154	1		
8	GB	Gond., Stl. Sides, Stl. Fixed Ends, Flat Bottom, Composite Flrs.	G332	55102, 55109	52	6	9	6	3	2	57	1	10	4	10	4	4	6	7	7	2	1585	154	2		
9	GB	Gond., Stl. Sides, Stl. Fixed Ends, Flat Bottom, Wood Fr.	G332	55176	52	6	9	6	3	6	57	1	10	4	10	4	4	6	7	3	7	5	1745	154	1		
10	GB	Gond., Stl. Sides, Stl. Fixed Ends, Flat Bottom, Composite Flrs.	G332	55230	52	6	9	6	3	6	57	1	10	4	10	4	4	6	7	3	7	5	1745	154	1		
11	GB	Gond., Stl. Sides, Stl. Fixed Ends, Flat Bottom, Wood Fr.	G332	55348	52	6	9	6	3	6	57	1	10	4	10	4	4	6	7	3	7	5	1745	154	1		
12	GB	Gond., Stl. Sides, Stl. Fixed Ends, Flat Bottom, Wood Fr.	G332	55387-55478	52	6	9	6	3	6	59	1	10	4	10	4	4	6	7	3	7	5	1745	154	5		
13	GB	Gond., Stl. Sides, Stl. Fixed Ends, Flat Bottom, Wood Fr.	G332	55479-55637	52	6	9	6	3	3	57	1	10	4	10	4	4	6	7	7	2	1585	154	18		
14	GBS	Gond., Stl., (Coil Stl.)	E330	55511	52	6	9	6	3	3	57	1	10	4	10	4	4	6	7	7	2	1585	154	1		
15	GB	Gond., Stl. Sides, Stl. Fixed Ends, Flat Bottom, Wood Fr.	G332	55638-55697	52	6	9	6	3	6	57	1	10	4	10	4	4	6	7	3	7	5	1745	154	2		
16	GBS	Gond., Stl., (Coil Stl.)	E330	55663, 55668, 55691	52	6	9	6	3	3	57	1	10	4	10	4	4	6	7	7	2	1585	154	3		
17	GB	Gond., Stl. Sides, Stl. Fixed Ends, Flat Bottom, Wood Fr.	G332	55698-55757	52	6	9	6	3	3	57	1	10	4	10	4	4	6	7	7	2	1585	154	20		
18	GBS	Gond., Stl., (Coil Stl.)	E330	55702	52	6	9	6	3	3	57	1	10	4	10	4	4	6	7	7	2	1585	154	1		
19	GB	Gond., Stl. Sides, Stl. Fixed Ends, Flat Bottom, Wood Fr.	G332	55758-55850	52	6	9	6	3	6	57	1	10	4	10	4	4	6	7	7	5	1745	154	28		
20	GB	Gond., Stl. Sides, Stl. Fixed Ends, Flat Bottom, Composite Flrs.	G332	55767	52	6	9	6	3	6	57	1	10	4	10	4	4	6	7	3	7	5	1745	154	1		
21	GB	Gond., Stl. Sides, Stl. Fixed Ends, Wood Fr.	G332	56001-56075	52	11	9	6	4	59	2	10	8	10	8	7	7	9	7	10	2010	193	73		
22	GB	Gond.	G332	56076-56115	52	11	9	6	4	59	2	10	8	10	8	7	7	9	7	10	2010	193	40		
23	GB	Gond.	G332	56151-56190	52	11	9	6	4	59	2	10	8	10	8	7	10	7	10	2010	193	40			
24	HT	Hop., Stl.	H350	63700-63899	45	9	9	48	9	10	8	10	8	12	3	12	4	12	4	3433	200	196		
25	HT	Hop., Stl.	H150	70001-70400	40	8	9	7	44	4	10	5	10	6	10	8	10	8	10	8	2622	140	367		
26	HT	Hop.	H150	70701-70700	40	8	9	7	44	4	10	5	10	6	10	8	10	8	10	8	2622	140	270		
27	HT	Hop., Stl.	H150	70701-71500	40	8	9	7	44	4	10	5	10	6	10	8	10	8	10	8	2622	140	718		
28	HT	Hop.	H150	72001-72400	39	10	9	9	43	7	10	7	10	7	11	11	11	11	11	11	2603	140	389		
29	HT	Hop., Stl.	H150	80001-80500	40	7	9	7	44	2	10	7	10	7	11	11	11	11	11	11	2700	140	461		
30	HT	Hop., Stl.	H350	85001-85200	39	9	9	9	43	5	10	7	10	7	11	11	11	11	11	11	2550	200	193		
31	HT	Hop., Stl.	H350	89800-89993	44	11	9	9	46	1	10	8	10	8	12	4	12	4	12	4	3418	200	194		
32	HT	Hop., Stl.	H350	90000	47	11	9	9	51	8	10	8	10	8	11	11	11	11	11	11	3209	200	1		
33	HT	Hop.	H350	188000-188499	45	9	9	48	9	10	7	10	7	12	3	12	3	12	3	3432	200	498		
34	HT	Hop.	H350	188500-188999	45	9	9	48	9	10	7	10	7	12	3	12	3	12	3	3432	200	492		
35	HT	Hop., Stl.	H350	189412-189811	45	9	9	48	9	10	7	10	7	12	3	12	3	12	3	3432	200	500		
36	HT	Hop., Stl.	H350	199900-199999	48	11	9	9	53	1	10	8	10	8	11	10	11	10	11	10	3600	200	491		
37	GB	Gond., Stl. Sides, Stl. Fixed Ends, Flat Bottom, Composite Fr.	G332	354900-354923	52	5	9	6	3	3	57	2	10	7	10	7	4	2	7	7	1648	154	17		
38	RBL	Box, Insulated, Evans Side Wall Fillers, 2 Evans Blkds, Full Track, 50K	R206	475135-475148	50	6	9	2	10	58	4	10	10	8	6	14	5	15	2	10	6	4903	154	9	
39	RBL	Box, Insulated, 2 Evans Blkds, 50K	R206	475135, 475136, 475140, 475148	50	6	9	4	10	58	4	10	10	8	6	14	5	15	2	10	6	4903	154	4	
40	RBL	Box, Insulated, Evans Side Wall Fillers, 2 Evans Blkds, Full Track, Pallets Furnished by Roas Laboratories-Columbus/OH, 50K	R206	475143, 475146	50	6	9	2	10	58	4	10	10	8	6	14	5	15	2	10	6	4903	154	2	
41	XL	Box, DF-2, 9 Adjustable Belt Rails, Cush. Underfr., 50K	A330	495975-495989	60	8	9	4	11	6	65	7	9	6	10	8	15	15	4	15	6	10	11	2	6540	186	15
42	XL	Box, 4 Evans Blkds, 16' Double Sliding Doors, Cush. Underfr., 50K	A330	495990-495999	60	8	9	4	11	6	65	7	9	6	10	8	15	15	4	15	6	16	11	2	6540	186	10
43	LO	Covered Hop., Stl.	L153	602400-602448	49	9	10	7	54	7	8	4	10	8	8	7	15	1	15	6	4650	199	50		
44	LO	Covered Hop., Stl.	L151	604950-604999	34	9	10	7	36	11	10	8	10	8	3	8	13	6	15	1	2970	200	50		
Total																	7750										

FREIGHT CONNECTIONS AND JUNCTION POINTS

Baltimore & Annapolis
Baltimore (Clifford), MD (via Westport, MD and B. & O.)
Baltimore & Ohio
Belington, WV
Bowest Jct., PA
Cherry Run, WV
Chieriton, WV
Cumberland, MD
Elkins, WV
Hutchinson, WV NOTE 1

Baltimore & Ohio
Keystone, PA
Norton, WV
Westport, MD
West Virginia Central Jct., WV
Canton
Baltimore, MD (via Westport, MD and B. & O.)
Consolidated Rail
Baltimore (Fulton Jct.), MD
Baltimore (Helen Jct.), MD

Consolidated Rail
Baltimore (Penna Sta.), MD
Colgate Creek (Baltimore), MD (via B. & O.)
Hagerstown, MD
Lurgan, PA
Shippensburg, PA
York (West York), PA
Gettysburg
Gettysburg, PA
Greenbrier River
Durbin, WV

Maryland Midland
Keymer, MD
Maryland & Pennsylvania
Hanover, PA
York (West York), PA
Norfolk & Western
Connellsville, PA
Hagerstown, MD
Patapsco & Back Rivers
Sparrows Point, MD (Grays Yard, via Penn Central Trackage)
Pittsburgh & Lake Erie
Connellsville, PA

Note 1—Track connection but not used as regular interchange point.