

WESTERN MARYLAND RAILWAY COMPANY

Reporting Marks and ACI Nos. — WM - 0 839

Uniform Alphanumeric and Numeric Code — WM - 839

3850

1-83

FREIGHT EQUIPMENT

Cars are marked "WM" and are numbered and classified as follows:

| Line No.  | A.A.R. Mech. Desig. | DESCRIPTION<br><i>See Explanation Pages for Abbreviations &amp; Symbols</i> | A.A.R. Car Type Code | NUMBERS<br><i>Change from Previous Issue</i>  | DIMENSIONS |         |         |         |         |                  |      |       | CAPACITY |                 | No. of Cars |            |     |    |
|-----------|---------------------|---|----------------------|---|------------|---------|---------|---------|---------|------------------|------|-------|----------|-----------------|-------------|------------|-----|----|
|           |                     |   |                      |   | INSIDE     |         |         | OUTSIDE |         |                  |      | DOORS |          | Cubic Feet Full |             | Lbs. (000) |     |    |
|           |                     |   |                      |   | Length     | Width   | Height  | Length  | Width   | Height from Rail | Side |       |          |                 |             |            |     |    |
| ft. in.   | ft. in.             | ft. in.   | ft. in.              | ft. in.   | ft. in.    | ft. in. | ft. in. | ft. in. | ft. in. | ft. in.          |      |       |          |                 |             |            |     |    |
| <b>WM</b> |                     |   |                      |   |            |         |         |         |         |                  |      |       |          |                 |             |            |     |    |
| 1         | LP                  | Flat, Pulpwood, Blkhd.  | L026                 | 56-70   | 45         | 10 4    | 6 5     | 56 8    | 10 4    | 10 4             | 3 5  | 4 1   | 10 7     | .....           | 100         | 11         |     |    |
| 2         | LP                  | Flat, Pulpwood, Blkhd.  | L026                 | 375-380   | 45         | 10 4    | 6 6     | 53 9    | .....   | 10 4             | 3 5  | ..... | .....    | .....           | 110         | 6          |     |    |
| 3         | LP                  | Flat, Pulpwood, Blkhd.  | L026                 | 381-400   | 45         | 10 4    | 6 5     | 53 8    | 10 4    | 10 4             | 3 5  | 4 1   | 10 7     | .....           | 110         | 19         |     |    |
| 4         | LP                  | Pulpwood, Cast Stl., Blkhd.   | L026                 | 401-410   | 38         | .....   | 8 8     | 6 11    | 45 10   | 8 8              | 9 4  | 6 11  | 4 1      | 11 1            | .....       | 100        | 10  |    |
| 5         | FM                  | Flat, Stl.  | F102                 | 2318  | 53 6       | 10 6    | 3 8     | 56 8    | .....   | 10 8             | 4 11 | 3 8   | 4 11     | .....           | 110         | 1          |     |    |
| 6         | FM                  | Flat, Stl.  | F101                 | 2401-2475   | 50 6       | 9 4     | .....   | 53 9    | 10 6    | 10 6             | 3 8  | 3 8   | 5 8      | .....           | 100         | 45         |     |    |
| 7         | FM                  | Flat, Stl.  | F202                 | 2601-2710   | 53 6       | 9 2     | .....   | 56 9    | 10 6    | 10 6             | 3 8  | 3 8   | 5 4      | .....           | 154         | 74         |     |    |
| 8         | FMS                 | Flat, Stl.  | F212                 | 2633, 2655, 2687  | 53 6       | 9 2     | .....   | 56 9    | 10 6    | 10 6             | 3 8  | 3 8   | 5 4      | .....           | 154         | 3          |     |    |
| 9         | HM                  | Hop., Twin, Stl., Stl Underfr., Wood Chip                                   | H140                 | 2941-2950   | 31         | .....   | 9 9     | .....   | 35 8    | 10 7             | 10 7 | 11    | .....    | 14              | .....       | 2958       | 100 | 6  |
| 10        | HT                  | Hop., Stl., Wood Chip   | H450                 | 3101-3103   | 66 6       | 9 8     | .....   | 70 11   | 10 6    | 10 6             | 3 6  | 15 3  | 15 3     | .....           | 6936        | 200        | 3   |    |
| 11        | XM                  | Box, 25K  | B102                 | 4201-4450   | 40 6       | 9 2     | 10 5    | 44 4    | 9 4     | 10 8             | 5 8  | 14 4  | 15       | 8 9 10          | 3860        | 100        | 3   |    |
| 12        | LO                  | Covered Hop., Center Flow Outlet  | C113                 | 4651-4653   | 49 9       | 10 7    | .....   | 53 10   | 10      | 10 8             | 8 11 | 13 11 | 15 6     | .....           | 4650        | 196        | 3   |    |
| 13        | LO                  | Covered Hop.  | C113                 | 4661-4690   | 49 6       | 10 1    | .....   | 53 1    | 9 11    | 10 8             | 3 6  | 14    | 15 1     | .....           | 4427        | 199        | 28  |    |
| 14        | LO                  | Covered Hop.  | C113                 | 4701-4750   | 54 6       | 10      | .....   | 59 2    | 10 6    | 10 6             | 4 11 | 14 1  | 15 1     | .....           | 4740        | 200        | 49  |    |
| 15        | LO                  | Covered Hop., Stl., (Cement)  | C111                 | 4901-4946   | 29 3       | 9 5     | .....   | 37 9    | 10 3    | 10 3             | 12 3 | 12 3  | 13 2     | .....           | 2003        | 140        | 29  |    |
| 16        | LO                  | Covered Hop., Stl., (Cement)  | C111                 | 5101-5200   | 29 3       | 9 5     | .....   | 37 9    | 10 2    | 10 2             | 3 2  | 11 9  | 13       | .....           | 1958        | 140        | 37  |    |
| 17        | LO                  | Covered Hop., Stl., (Cement)  | C111                 | 5251-5288   | 26 3       | 9 8     | .....   | 35 9    | 10 4    | 10 4             | 3 6  | 11 11 | 13       | .....           | 1740        | 140        | 5   |    |
| 18        | LO                  | Covered Hop.  | C111                 | 5351-5390   | 29 3       | 9 6     | .....   | 39 3    | 10 2    | 10 2             | 3 3  | 11 9  | 13 1     | .....           | 1892        | 140        | 24  |    |
| 19        | LG                  | Container, 8 Containers, Cap. 1160 Cubic Ft.                                | L017                 | 5404  | 52 6       | 9 6     | 3 6     | 57 1    | 10 4    | 10 9             | 7    | 7 2   | 7 3      | .....           | 140         | 1          |     |    |
| 20        | GB                  | Gond.   | G522                 | 5416  | 52 6       | 9 6     | 3 6     | 57 1    | 10 4    | 10 9             | 7    | 7 2   | 7 3      | .....           | 140         | 1          |     |    |
| 21        | LG                  | Container, 10 Containers, Cap. 1450 Cubic Ft.                               | L017                 | 5431-5440   | 52 6       | 9 6     | 3 6     | 57 1    | 10 4    | 10 9             | 6 11 | 7     | 7 2      | .....           | 200         | 5          |     |    |
| 22        | GB                  | Gond.   | G522                 | 5436  | 52 6       | 9 6     | 3 6     | 57 1    | 10 4    | 10 9             | 7    | 7 3   | 7 3      | .....           | 200         | 1          |     |    |
| 23        | LG                  | Container, 8 Containers, Cap. 1160 Cubic Ft.                                | L017                 | 5441-5444   | 52 6       | 9 6     | 3 6     | 57 1    | 10 4    | 10 9             | 6 11 | 7     | 7 2      | .....           | 140         | 3          |     |    |
| 24        | LG                  | Container, 8 Containers, Cap. 1160 Cubic Ft.                                | L017                 | 5446  | 52 6       | 9 6     | 3 6     | 57 1    | 10 4    | 10 9             | 6 11 | 7     | 7 2      | .....           | 140         | 1          |     |    |
| 25        | LG                  | Container, 10 Containers, Cap. 1450 Cubic Ft.                               | L017                 | 5451-5460   | 52 6       | 9 6     | 3 6     | 57 1    | 10 4    | 10 9             | 6 11 | 7     | 7 2      | .....           | 200         | 7          |     |    |
| 26        | GB                  | Gond.   | G522                 | 5455, 5459  | 52 6       | 9 6     | 3 6     | 57 1    | 10 4    | 10 9             | 7    | 7 3   | 7 3      | .....           | 200         | 2          |     |    |
| 27        | LO                  | Covered Hop., Stl., (Cement)  | C111                 | 5501-5550   | 29 3       | 9 5     | .....   | 37 9    | 10 3    | 10 3             | 12 3 | 12 3  | 13 2     | .....           | 2003        | 140        | 25  |    |
| 28        | LO                  | Covered Hop., Plastic Lining, (Bulk Flour), Air Slide                       | C411                 | 5551-5557   | 29 6       | 9 11    | 11 9    | 42      | .....   | 10 1             | 10 8 | 13 6  | 13 11    | 14 5            | .....       | 2600       | 140 | 4  |
| 29        | LO                  | Covered Hop., Plastic Lining, (Bulk Flour), Air Slide                       | C413                 | 5558-5567   | 48 11      | 9 11    | .....   | 54 1    | 10 8    | 10 8             | 13 5 | 13 11 | 14 6     | .....           | 4180        | 200        | 10  |    |
| 30        | LO                  | Covered Hop., Stl., (Cement)  | C111                 | 5601-5950   | 29 3       | 9 5     | .....   | 37 9    | 10 2    | 10 2             | 12 2 | 12 5  | 13 2     | .....           | 2003        | 154        | 239 |    |
| 31        | FW                  | Flat, Well Hole, See Heavy Cap. Section                                     | F361                 | 6010-6011   | 47 5       | 10 6    | .....   | 50 8    | 10 7    | 10 7             | 5 6  | 5 9   | 8 3      | .....           | 180         | 2          |     |    |
| 32        | FM                  | Flat, Stl.  | F102                 | 7001-7030   | 53 6       | 9 4     | .....   | 56 9    | 10 6    | 10 6             | 3 5  | 3 5   | 5 1      | .....           | 110         | 7          |     |    |
| 33        | FC                  | Flat, Stl., Equipped to Carry Trailers                                      | P218                 | 7001, 7006, 7013, 7020, 7022, 7024, 7030  | 53 6       | 9 4     | .....   | 56 9    | 10 6    | 10 6             | 3 5  | 3 5   | 5 1      | .....           | 110         | 7          |     |    |
| 34        | FMS                 | Flat, Stl., Roller Bearings, Portec Tie-Down Equipment, (Auto Frames)       | F112                 | 7014, 7015, 7017-7019, 7025, 7027-7028  | 53 6       | 9 4     | .....   | 56 9    | 10 6    | 10 6             | 3 5  | 3 5   | 5 1      | .....           | 110         | 8          |     |    |
| 35        | HM                  | Hop., Stl.  | H140                 | 10801-14400   | 31         | .....   | 9 9     | .....   | 35 8    | 10 7             | 10 7 | 10 10 | 11       | 11 4            | .....       | 2028       | 110 | 3  |
| 36        | HM                  | Hop., Stl.  | H140                 | 10904, 10923-10924, 10926, 10928, 11006, 11052, 11067, 11072, 11125, 11178, 11193, 11235, 11245, 11247, 11279, 11300, 12278         | 30 4       | 9 9     | .....   | 35 8    | 10 7    | 10 7             | 11   | 11    | 11       | .....           | 2007        | 110        | 18  |    |
| 37        | HM                  | Hop., Stl.  | H140                 | 14864-14885   | 32 8       | 9 9     | .....   | 37 4    | 10 7    | 10 7             | 10 6 | 10 8  | 11       | .....           | 2028        | 110        | 2   |    |
| 38        | HM                  | Hop., Stl.  | H140                 | 17001-18900   | 35 4       | 9 9     | .....   | 38 11   | 10 7    | 10 7             | 11   | 11    | 11 1     | .....           | 2318        | 132        | 836 |    |
| 39        | HM                  | Hop.  | H140                 | 17293, 17858, 18724, 18742  | 35 4       | 9 9     | .....   | 38 11   | 10 7    | 10 7             | 11   | 11    | 11 1     | .....           | 2318        | 120        | 4   |    |
| 40        | HMS                 | Hop., Stl., (Ferro-Manganese)   | K120                 | 17338, 17626, 17700, 17791, 17972, 18136, 18265, 18285, 18514, 18519, 18558, 18575, 18608, 18617, 18624, 18751, 18754, 18782, 18822 | 35 4       | 9 9     | .....   | 38 11   | 10 7    | 10 7             | 11 1 | 11    | 11 1     | .....           | 2318        | 132        | 19  |    |
| 41        | XM                  | Box, Stl., 25K  | B102                 | 25001-25155   | 40 6       | 9 2     | 10 5    | 44 4    | 9 4     | 10 8             | 5 8  | 14 2  | 14 9     | 8 9 10          | 3860        | 110        | 18  |    |
| 42        | XL                  | Box, Stl., DF Loaders, Adjustable Belts, 25K                                | A130                 | 25079   | 40 6       | 9 2     | 10 5    | 44 4    | 9 4     | 10 8             | 5 8  | 14 2  | 14 9     | 8 9 10          | 3860        | 110        | 1   |    |
| 43        | XM                  | Box, Stl., 25K  | B101                 | 26053-26226   | 40 4       | 9 2     | 9 11    | 45 3    | 9 5     | 10 8             | 4 6  | 13 11 | 14 7     | 7 9 3           | 3695        | 110        | 3   |    |
| 44        | XM                  | Box, Stl., 25K  | B101                 | 26501-26650   | 40 6       | 9 2     | 9 11    | 44 6    | 9 5     | 10 8             | 4 6  | 13 6  | 14 6     | 7 9 3           | 3695        | 110        | 46  |    |
| 45        | XM                  | Box, Stl.   | B100                 | 27037   | 40 6       | 8 9     | 9 3     | 45 1    | 9 2     | 10 3             | 5 5  | 13 2  | 13 10    | 6 8 8           | 3311        | 100        | 1   |    |
| 46        | XM                  | Box, Stl., Stagg. Doors, 25K  | B317                 | 31019   | 50 6       | 9 6     | 9 10    | 54 4    | 9 8     | 10 8             | 5 4  | 13 10 | 14 5     | 15 9 2          | 4720        | 100        | 1   |    |
| 47        | XM                  | Box, 25K  | B407                 | 31051-31065   | 50 6       | 9 4     | 10 5    | 55      | 9 3     | 10 8             | 5 4  | 14 5  | 15       | 15 9 9          | 4932        | 100        | 3   |    |
| 48        | XM                  | Box, Nailable Stl. Flr., 25K  | B305                 | 32001-32040   | 50 6       | 9 2     | 10 5    | 54 4    | 9 3     | 10 7             | 5 8  | 14 5  | 15       | 11 11           | 9 9         | 4843       | 100 | 13 |
| 49        | XL                  | Box, DF Loaders, Adjustable Belts, 25K                                      | A331                 | 34001-34010   | 50 6       | 9       | 10 5    | 54 4    | 9 3     | 10 7             | 5 8  | 14 5  | 15       | 8 9 9           | 4769        | 100        | 4   |    |
| 50        | XL                  | Box, Stl., DF Loaders, Adjustable Belts, 25K                                | A331                 | 34051-34075   | 50 6       | 9       | 10 5    | 54 4    | 9 3     | 10 7             | 5 8  | 14 6  | 15       | 8 9 9           | 4769        | 100        | 9   |    |
| 51        | XL                  | Box, DF Loaders, Adjustable Belts, 25K                                      | A332                 | 34076-34083   | 50 6       | 9 4     | 10 5    | 55      | 9 3     | 10 8             | 5 4  | 14 6  | 15       | 9 9 9           | 4932        | 100        | 2   |    |
| 52        | XL                  | Box, DF Loaders, Adjustable Belts, 25K                                      | A432                 | 34101-34125   | 50 6       | 9 4     | 10 5    | 57 5    | 9 3     | 10 8             | 5 4  | 14 6  | 15       | 9 9 9           | 4932        | 140        | 21  |    |
| 53        | XL                  | Box, DF-2 Belt Rails, 7' Plug Door, 9' Sliding Door, 25K                    | A437                 | 35001-35050   | 50 6       | 9 4     | 10 5    | 57 6    | 9 6     | 10 8             | 3 4  | 14 6  | 15       | 9 9 9           | 4932        | 140        | 46  |    |

CONTINUED ON FOLLOWING PAGE

WESTERN MARYLAND RAILWAY COMPANY -Continued

Table with columns: A.A.R. Mech. Desig. No., DESCRIPTION, A.A.R. Car Type Code, NUMBERS, DIMENSIONS (INSIDE, OUTSIDE, DOORS), CAPACITY (Cubic Feet Full, Lbs (000)), No. of Cars. Includes rows for various equipment types like WM, GBS, HT, etc.

Total

7197

# WESTERN MARYLAND RAILWAY COMPANY —Continued

## FREIGHT CONNECTIONS AND JUNCTION POINTS

### Baltimore & Annapolis

Baltimore (Clifford), MD (via Westport, MD and B. & O.)

### Baltimore & Ohio

Belington, WV  
Bowest Jct., PA  
Cherry Run, WV  
Chiefton, WV  
Cumberland, MD  
Elkins, WV  
Hutchinson, WV NOTE 1

### Baltimore & Ohio

Keystone, PA  
Norton, WV  
Westport, MD  
West Virginia Central Jct., WV

### Canton

Baltimore, MD (via Westport, MD and B. & O.)

### Consolidated Rail

Baltimore (Fulton Jct.), MD  
Baltimore (Hillen Jct.), MD

### Consolidated Rail

Baltimore (Penna Sta.), MD  
Colgate Creek (Baltimore), MD (via B. & O.)  
Hagerstown, MD  
Lurgan, PA  
Shippensburg, PA  
York (West York), PA

### Gettysburg

Gettysburg, PA

### Greenbrier River

Durbin, WV

### Maryland Midland

Keymar, MD

### Maryland & Pennsylvania

Hanover, PA  
York (West York), PA

### Norfolk & Western

Connellsville, PA  
Hagerstown, MD

### Patapsco & Back Rivers

Sparrows Point, MD (Grays Yard, via Penn Central Trackage)

### Pittsburgh & Lake Erie

Connellsville, PA

**Note 1**—Track connection but not used as regular interchange point.